# THE CONTROL TO STATE OF THE STA

### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 2 290 BROADWAY NEW YORK, NY 10007-1866

AUG - 8 2011

### **ACTION MEMORANDUM RV1**

DATE:

SUBJECT: Request for a Ceiling Increase, 12-Month Exemption, and \$2 Million

Exemption for the Removal Action at the Charlestown Mall Site, Village

of Frankfort, Herkimer County, New York

FROM:

Terry E. Kish, On-Scene Coordinator

Removal Action Branch

TO:

Judith A. Enck

Regional Administrator

THRU

Emergency and Remedial Response Division

Site ID#: A239

### I. PURPOSE

The purpose of this Action Memorandum is to request and document approval of the Ceiling Increase, 12-Month Exemption and \$2 Million Exemption at the Charlestown Mall Site (Site), Village of Frankfort, Herkimer County, New York. This is the first U.S. Environmental Protection Agency (EPA) removal action undertaken at the Site. The objective of this removal action is to mitigate the threat of direct contact posed to the public by asbestos contaminated demolition debris present at the Site. This will be accomplished by completing the removal and off-site disposal of the asbestos contaminated debris. The total funding increase requested in this Action Memorandum is \$2,192,000, of which, \$1,903,000 is from the Regional removal advice of allowance for mitigation contracting. If approved, the new total project ceiling will be increased to \$4,061,000, of which, \$3,313,000 is for mitigation contracting. Conditions at the Site meet the criteria for a removal action under the Comprehensive Environmental Resource, Compensation and Liability Act (CERCLA) and Section 300.415(b) of the National Contingency Plan (NCP).

With asbestos being the primary contaminant of concern, at this time, in accordance with EPA policy, concurrence on this Action Memorandum will be sought from the Office of Emergency Management since it qualifies as a nationally significant or precedent setting removal action.

### II. SITE CONDITIONS AND BACKGROUND

The Site, located at 2205 Bleeker Street, Village of Frankfort, Herkimer County, New York, is the location of a former manufacturing facility which was occupied by various owners and industries from 1894 through the mid 1970's when manufacturing ceased at the facility. In 1976, the facility was sold and a portion of it was redeveloped into the Charlestown Outlet Complex which operated through 1991 when it became the Charlestown Business Complex. Over the years, a series of buildings at the Site were not properly maintained and became extremely deteriorated. The property was sold in 2006 and again in 2007 when it was purchased by the current owner of the Site, Charlestown Mall of Utica, LLC, which continues to lease storage space within the intact buildings on the property. In early 2008, the New York State Department of Labor (NYSDOL) discovered unpermitted demolition of one of the deteriorated buildings occurring at the Site, which was not in compliance with the National Emission Standard for Hazardous Air Pollutants (NESHAP) for asbestos. In October 2008, the New York State. Department of Environmental Conservation (NYSDEC) referred the Site to EPA for assistance in performing a removal site evaluation (RSE). Following the initial RSE conducted by EPA and NYSDEC on November 5, 2008, NYSDEC issued an order to the owner of the facility to address asbestos contaminated debris and polychlorinated biphenyls (PCBs) from the Site. The owner, who claimed to be unable to finance the clean-up, applied for a "Restore New York Grant" in order to come into compliance with the Order. In October 2009, EPA was notified that the grant application for the Charlestown Mall was denied. Subsequently, EPA completed an additional RSE in November 2009 which has confirmed the release of asbestos to the environment and that a time-critical removal action was necessary.

An Action Memorandum was written to address the threats associated with asbestos, PCBs and drums at the Site. The Action memorandum was approved on July 16, 2010 and removal activities were initiated on August 16, 2010. To date, threats associated with the PCBs and drums have been addressed. Deteriorated structures, where asbestos containing materials (ACM) could not be safely removed, have been demolished. The resulting demolition debris, along with demolition debris present from historic demolition has been staged on-site awaiting disposal off-site. The ceiling increase is necessary because disposal costs are higher than originally estimated. The increased cost of disposal is a result of a local solid waste flow control law, which requires that all solid wastes generated within the County be disposed of at a facility operated by the Oneida Herkimer Solid Waste Authority. The disposal cost per unit is higher than what was estimated in the original Action Memorandum.

The Comprehensive Environmental Response, Compensation and Liability Information System Identification Number for the Site is NYC2004000513.

### A. Site Description

### 1. Removal site evaluation (RSE)

On November 5, 2008, NYSDEC Bureau of Environmental Crimes Investigation (BECI) executed a search warrant in order to evaluate asbestos contamination as well as electrical transformers reported to have been damaged as a result of demolition activities. EPA Removal Action Branch (RAB) and Criminal Investigation Division (CID) along with Removal Support Team 2 (RST) assessment personnel assisted BECI in conducting the investigation.

During the investigation, weathered presumed asbestos containing materials (PACM) were identified in the debris at several locations around the Site, and samples of each material were collected for confirmation analysis. The results of the analyses confirmed asbestos to be present in the surface debris at two of seven locations sampled. In addition, ACM (which has fallen off of a pipe and was deteriorated as a result of exposure to weather) was confirmed to be present in the basement of building 13. All observed ACM was friable.

In addition to asbestos, EPA and BECI investigated the potential release of PCBs from electrical transformers as a result of the demolition/salvaging operations which occurred at the Site. Two electrical transformers (which contained approximately 350 gallons of dielectric fluid) were identified in building 15. The tops of these two transformers had been removed, while two other transformers had been overturned, presumably for salvaging purposes. The contents of those transformers (approximately 150 gallons) were released onto the floor of Building 15. A sample of oily debris collected from the floor of the building confirmed the presence of PCBs at a concentration of 44,000 milligrams per kilogram (mg/kg). Samples collected from the intact transformers confirmed the presence of PCBs at concentrations less than 50 mg/kg. An additional oil sample collected by BECI was reported to be 100% Aroclor 1254. In addition, approximately 50 electrical capacitors and/or rectifiers were observed to be present and are presumed to contain PCBs. Several of the capacitors were observed to be leaking, others had been opened and the contents had released onto the floor of the building.

As mentioned above, following this investigation, NYSDEC issued an Administrative Order to the owner of the Site requiring him to remediate the PCBs and asbestos contaminated debris identified at the Site. The owner of the Site stated that he intended to come into compliance with the Order, but would be financially dependent upon a Restore New York Grant for which he had applied. Additional investigation was suspended due to the NYSDEC enforcement action.

In October 2009, EPA was notified that the grant proposal submitted for Charlestown Mall was denied; therefore the owner of the property was financially incapable of performing the clean-up. As a result, NYSDEC asked EPA to resume evaluation of the Site for removal action eligibility. Subsequently, EPA planned an expanded removal

assessment which involved a more thorough evaluation of asbestos contamination within the large volume of demolition debris. This investigation was partially based on information contained in an asbestos survey, which was provided to EPA by the NYSDOL. The survey documented the presence of substantial amounts of friable asbestos present in many of the buildings and former buildings which are now dilapidated or demolished.

The primary area of focus was former Building 3, which has been completely demolished with the exception of some partial exterior walls which remained standing. Once demolished, the debris from this building was compacted into its foundation by tracking over it with heavy equipment. This process pulverized the debris at the surface into mostly small fragments of brick and splinters of wood. During the assessment conducted in November 2008, ACM was only observed at two locations despite searching the entire 25,000 ft<sup>2</sup> of the former Building 3 footprint. The reason for this was assumed to be because either the ACM was buried deeper in the lower levels of the original structure or because any ACM present in the debris at the surface had been pulverized and weathered to a point that it was difficult to discern. In order to determine if the latter was true, EPA and RST mobilized to the Site on November 16, 2009, to initiate the additional assessment. The assessment involved the establishment of ten, 12 feet x 12 feet square sampling locations within the footprint of building 3. The square sampling areas were spaced out evenly throughout the area of pulverized debris at locations which were determined to be safe (outside the shadow of unstable walls), and at locations which seemed to have a variety of debris types present. Once established, the debris within each square was thoroughly searched for potentially asbestos containing fragments. The search was conducted by raking through the top three to four inches of debris, examining small fragments as they were encountered. Each fragment suspected to be friable ACM was collected. Once the search of the 12 foot x 12 foot square was completed, fragments were selected for polarized light microscopy (PLM) asbestos analysis. Asbestos was positively identified in seven of the ten randomly placed grids ranging from <1% to 80% and a solidari chrysotile.

During the November 2009 assessment the boiler house (aka. Building 6) was found to be unsecured after pieces of equipment had been conspicuously dismantled outside of the building leaving oil stains on the pavement. Inspection of the building confirmed that the building had been subject to scrap metal salvaging and vandalism which had caused the release of dielectric fluid from several transformers within the building. Several drums and small containers were also discovered to be abandoned within the building. Label information on many of the containers indicated that they contained hazardous substances. As a result of the inspection, EPA added the interior of this building to the ongoing assessment. The containers inside the building appeared to originate from when the boiler house operated and included lubricants, chlorinated solvents, acids, oxidizers, and biocides. Several samples from the drums were submitted for Resource Conservation and Recovery Act (RCRA) characteristics laboratory analysis; one drum of liquid was confirmed to have a pH of 13. Other drums of similar material were not submitted for analysis. Three drum samples analyzed for volatile organic compounds identified tetrachloroethylene (PCE) and/or trichloroethylene (TCE) as constituents.

Analysis revealed that one of the drums contains approximately 60% PCE. PCBs were not identified to be present in the transformers which were accessible for sampling; however two large transformers were unable to be sampled. PCBs were identified at a concentration of 41 mg/kg in a drum marked lubricating oil indicating that dielectric fluid had likely been poured into the drum during salvaging. Also, several small buckets and tubs of oil were also observed around the building presumably originating from the salvaging of electrical components.

### 2. Physical location

The Site (43.089126 latitude, -75.183323 longitude) occupies approximately 14.5 acres, of which approximately 1.7 acres is located in the City of Utica, Oneida County while the remainder is located in the Village of Frankfort, Herkimer County, New York. The Site is situated in a commercial/industrial area, and approximately 400 residences are located within one mile of the Site. To the southwest of the Site is the Masonic Care Community of New York. This facility is a long term care/rehabilitation facility which has capacity for approximately 300 residents. The Masonic Care Community includes a day care center which is situated approximately 500 feet to the southwest of the dilapidated buildings of the Site. Commercial/industrial operations border the Site to the southeast, north and west. At the eastern end of the Site, approximately two acres has been leased and is occupied by a steel fabricating business. The Mohawk River is located approximately one half mile north of the Site. A Site location map and Site layout map are included as Attachment 1.

#### 3. Site characteristics

The Site was comprised of approximately 15 interconnected brick buildings. The buildings in the northeastern half of the Site remain largely intact, some of which are used as rental storage space for tenants while others house small commercial businesses. It appears that the number of commercial tenants is very limited. The southeastern edge of the Site consisted of several partially collapsed or demolished structures. Demolition of the remainder of these structures, which were contaminated with asbestos, was completed as a part of this removal action. A steel fabricating company currently leases a steel building located at the eastern tip of the Site. None of these operations are contributing to the asbestos threat identified at the Site, however when present at the Site, workers and tenants may potentially be exposed to asbestos contaminated debris.

## 4. Release or threatened release into the environment of a hazardous substance, or pollutant, or contaminant

The Site is defined as a facility under Section 101(9) of CERCLA, 42 U.S.C. § 9601(9), and hazardous substances abandoned at the Site comingled with demolition debris constitute a "release," as defined in Section 101(22) of CERCLA, 42 U.S.C. Section § 9601(22). Sampling and analysis conducted at the Site by EPA has identified the following CERCLA hazardous substance as defined in 40 CFR Table 302.4.

<u>Hazardous Substance</u> Asbestos Statutory Source for Designation Under CERCLA Clean Water Act - Section 307(a) Clean Air Act - Section 112

Asbestos is designated as a CERCLA hazardous substance under 40 CFR Part 302.4 (Table 302.4) and is classified as either friable or non-friable. Friability is the ease with which material can be crumbled, pulverized, or reduced to powder (by hand pressure) when dry. The degree of friability of the ACM determines the potential for fiber release to the air. An assessment which focused largely on the partially pulverized debris compacted into the basement of former Building 3 identified asbestos to be present at the surface throughout the length of the former structure. Samples collected from this area identified chrysotile asbestos to be present at concentrations ranging from <1% to 80%.

An asbestos survey prepared in April 1998, identified asbestos to be present in Buildings 5 and 7, while Building 3 was determined to be unsafe to perform the survey. In Buildings 5 and 7, more than 3,500 linear feet of asbestos containing pipe insulation was identified. This is in addition to the other asbestos containing materials which included 7,000 linear feet of floor tile and mastic, as well as window caulking and glazing throughout the facility. A copy of this asbestos survey is included as Attachment 2. Demolition of these structures has been completed. Disposal of the resulting asbestos contaminated demolition debris is pending.

### 5. National Priority List (NPL) status.

At the present time, the Site is not on the NPL and there are no efforts underway to include the Site on the NPL.

### 6. Maps, pictures, and other graphic representations

A Site location map and Site layout map are included as Attachment 1.

### B. Other Actions to Date

### 1. Previous actions

In Spring 2009, NYSDEC entered into negotiations with the current owner of the property to address asbestos and PCB contamination at the Site. As a result of that negotiation, the owner applied for a grant to fund the clean-up and re-development of the Site. EPA suspended any further evaluation of the Site while the owner sought funding to perform the clean-up proposed by NYSDEC. In October 2009, EPA was notified that the application for funding was denied. Subsequently, NYSDEC determined that there was no likelihood that the owner would be able to finance the clean-up under an administrative order. Therefore, EPA resumed evaluation of the Site in November 2009, and in January 2010, EPA determined the Site was eligible for a removal action. As a result, EPA decided to perform a CERCLA removal action.

### 2. Current action

In August 2010, EPA initiated its removal action at the Site to address threats associated with asbestos, PCBs and drums abandoned at the Site. To date, EPA has addressed the threats associated with PCBs and drums containing hazardous substances. Demolition of dilapidated structures where asbestos could not be abated has been completed. Transportation and disposal of the resulting asbestos-contaminated demolition debris is pending approval of this Action Memorandum.

The removal action is expected to continue beyond the statutory time limitation of twelve months for an action to be completed and two million dollars, necessitating this exemption.

### C. State and Local Authorities' role

### 1. State and local actions to date

In a letter dated October 24, 2008, NYSDEC requested that EPA evaluate the Site for eligibility for a time-critical removal action. Before an eligibility determination could be made, NYSDEC entered into negotiations with the current owner of the property to gauge its willingness to address asbestos and PCB contamination at the Site. As a result of that negotiation, the owner applied for a grant to fund the clean-up and re-development of the Site. EPA suspended any further evaluation of the Site while the owner sought funding to perform the clean-up proposed by NYSDEC. In October 2009, EPA was notified that the owner's application for funding was denied and it would not be able to finance the clean-up under a proposed NYSDEC administrative order. Therefore, EPA resumed evaluation of the Site in November 2009. In January 2010, EPA determined the Site to be eligible for a removal action and as a result, EPA decided to perform a CERCLA removal action.

### 2. Potential for continued State/local response

There are no actions planned or being taken by any State or local government agencies to address the hazardous substances present at the Site other than those discussed above.

## III. THREATS TO PUBLIC HEALTH, OR WELFARE, OR THE ENVIRONMENTAL AND STUATORY AND REGULATORY AUTHORITIES

Asbestos is a hazardous substance, as defined by Section 101(14) of CERCLA, listed at 40 CFR Part 302.4 (Table 302.4).

Asbestos mainly affects the lungs and the membrane that surrounds the lungs. Breathing high levels of asbestos fibers for a long time may result in scar-like tissue in the lungs and in the pleural membrane (lining) that surrounds the lung. This disease is called asbestosis and is usually found in workers exposed to asbestos, but not in the general public. People with asbestosis have difficulty breathing, often a cough, and in severe

cases heart enlargement. Asbestosis is a serious disease and can eventually lead to disability and death.

Breathing lower levels of asbestos may result in changes called plaques in the pleural membranes. Pleural plaques can occur in workers and sometimes in people living in areas with high environmental levels of asbestos. Effects on breathing from pleural plaques alone are not usually serious, but higher exposure can lead to a thickening of the pleural membrane that may restrict breathing.

As a result of the release or potential release of asbestos fibers to the atmosphere, the conditions at the Site continue to meet the criteria for a CERCLA removal action as described in the NCP at 40 CFR 300.415(b)(2). The following criteria are directly applicable to the threats which exist at the Site:

(i) Actual or potential exposure to nearby human populations, animals, or the food chain from hazardous substances, or pollutants, or contaminants.

There is a threat to human health posed by the ACM that has been released at the Site. The Site is regularly accessed by workers and tenants who rent storage space at the facility. Tenants accessing certain storage areas must pass immediately beside the asbestos contaminated debris which has been piled next to the access road through the Site. Persons coming into contact with the asbestos could inhale the material or have it deposited on their clothing, and subsequently inhaled. Vehicle traffic using access roads formerly covered by debris may also cause asbestos to be released into the air, threatening workers, tenants, and neighbors of the Site.

EPA's assessment confirmed that ACM is present at the surface of the debris throughout the Site and is currently subject to weathering. Weathering causes the matrix which binds the fibers together to be broken down, releasing the fibers to the environment. Once in the environment, the stable mineral fibers persist and do not readily break down further. Any disturbance of these materials by tenants, workers, or trespassers may cause asbestos fibers to be released to the air.

(iv) High levels of hazardous substances, or pollutants, or contaminants in soils largely at or near the surface that may migrate.

EPA's assessment has confirmed that asbestos containing building materials are present at the surface of the pulverized debris and is subject to constant weathering as a result. Weathering causes the matrix which binds the asbestos fibers together to be broken down, releasing the fibers into the environment. Once in the environment, the stable mineral fibers persist and do not readily break down further. Any disturbance of these materials by tenants, workers, or trespassers may cause asbestos fibers to be released to the air. Runoff from the Site may cause additional migration of these asbestos fibers.

(v) Weather conditions that may cause hazardous substances, or pollutants, or contaminants to migrate or be released.

Asbestos containing building materials are present at the surface of the debris throughout the Site and is subject to weathering as a result. Weathering causes the matrix which binds the asbestos fibers together to be broken down, releasing the fibers into the environment. Once in the environment, the stable mineral fibers persist and do no readily break down further. Several dilapidated structures remaining at the Site contain weathered ACM. High winds traveling through the remaining standing structures, some of which are four stories tall, may cause asbestos fibers to be entrained in the air high above the ground increasing the likelihood of being carried to adjacent areas and posing a risk of exposure.

(vii) The availability of other appropriate federal or State response mechanisms to respond to the release.

EPA is the only government agency capable of taking timely and appropriate action to respond to the threat posed by the presence of hazardous substances at the Site.

### IV. ENDANGERMENT DETERMINATION

Actual or threatened releases of hazardous substances from the Site, if not addressed by implementing the response action selected in this Action Memorandum, may present an imminent and substantial endangerment to public health.

### V. EXEMPTION FROM STATUATORY LIMITS

The cleanup will exceed the 12-month, \$2 million statutory limit because of the large volume of waste requiring disposal and the high cost of that disposal. The increased cost of disposal is a result of a local solid waste flow control law, which requires that all solid wastes generated within the County be disposed of at a facility operated by the Oneida Herkimer Solid Waste Authority. The disposal cost per unit is higher than what was estimated in the original Action Memorandum.

The removal action will continue beyond the one year statutory time limit because of four months of case law research conducted by the Office of Regional Counsel in coordination with EPA Headquarters to determine the applicability of the solid waste flow regulation of Oneida/Herkimer County to federally funded cleanup actions.

### A. Emergency Exemption

### 1. There is an immediate risk to public health or welfare or the environment.

Approximately 13,000 tons of asbestos contaminated debris is present at the Site. ACM exposed to the weather will deteriorate further enabling asbestos fibers to be released into the environment. The asbestos fibers can easily become entrained in wind and surface

runoff causing them to migrate, increasing the potential for workers, tenants and the general public to come into direct contact with the asbestos.

### Continued response actions are immediately required to prevent, limit, or mitigate an emergency.

The Site has commercial tenants, and space is rented to the general public for storage. Therefore, access into the Site cannot be completely restricted by EPA. Disposal of the asbestos contaminated debris is necessary to prevent workers and tenants from coming into direct contact with asbestos fibers. Continuing the response action by disposing of the asbestos contaminated debris will prevent workers and tenants from coming into direct contact with asbestos fibers and will prevent additional migration of the asbestos fibers.

### 3. Assistance will not otherwise be provided on a timely basis.

There are no State or local response actions planned to mitigate the threats posed by the Site. The Site was referred to the EPA by the NYSDEC in October 2008. EPA has assumed the lead role in mitigating the threats posed by the Site by implementing the response actions proposed in this memorandum.

### VI. PROPOSED ACTIONS AND ESTIMATED COSTS

### A. Proposed Actions

### 1. Proposed action description

The activities proposed below will be implemented to mitigate the threats to public health at the Site. The removal action is expected to be completed within three months of approval of this Action Memorandum.

- Removal and off-site disposal of ACM removed from existing dilapidated structures and segregated from the debris when possible.
- Segregation and decontamination of scrap metal for recycling.
- Segregation and decontamination of concrete and wood timbers for disposal, as appropriate.
- Off-site disposal of approximately 13,000 tons of asbestos contaminated debris

EPA does not anticipate the need for post-removal Site controls at the completion of the project. Upon completion of the removal action, the property adjacent to the Charlestown Mall property will be assessed to determine if asbestos has migrated to these locations. The results of the assessment will be evaluated to determine if additional cleanup is required.

### 2. Contribution to remedial performance

The response measures proposed in this Action Memorandum will address the threat of direct contact to asbestos by the public and will contribute effectively to any long-term remedial action with respect to the release or threat of release of asbestos at the Site.

## 3. Engineering Evaluation/Cost Analysis (EE/CA) (for non-time critical actions only)

Because of the time critical nature of this proposed removal action, an EE/CA will not be prepared.

### 4. Applicable or Relevant and Appropriate Requirements (ARARs)

ARARs within the scope of this project include RCRA, the Hazardous Material Transportation Act, the Toxic Substance Control Act, and the Clean Air Act's National Emissions Standards for Hazardous Air Pollutants. These will be met to the extent practicable as will any additional ARARs identified during the removal activities.

### 5. Project schedule

Field activities are anticipated to resume in August 2011 and be completed in October 2011.

### B. Estimated Costs

The estimated costs for the completion of this project are summarized below. A detailed, confidential independent government cost estimate is included as Attachment 3.

		Additional Funding Requested in this Memorandum	Total Funding Authorized and Requested	
Regional Allowance Costs (Total clean-up contractor including labor, equipment and materials)	\$1,175,000	\$1,730,000	\$2,905,000	
10% Contingency	\$235,000	\$173,000	\$408,000	
Total ERRS Costs	\$1,410,000	\$1,903,000	\$3,313,000	
Other Extramural Costs Not Funded From the Regional Allowance	\$0	\$0	\$0	
Total RST 2 Costs	\$230,000	\$90,000	\$320,000	
Subtotal, Extramural Costs	\$1,640,000	\$1,993,000	\$3,633,000	
5% Extramural Cost Contingency	\$328,000	\$100,000	\$428,000	
Total Direct Extramural Costs	\$1,968,000	\$2,192,000	\$4,061,000	

## VII. EXPECTED CHANGE IN THE SITATION SHOULD ACTION BE DELAYED OR NOT TAKEN

If the proposed actions described in this memorandum are not implemented, the threats posed by the Site would persist. The threat posed by asbestos contaminated debris represents a significant threat to human health and the environment. If no actions are taken, ACM will continue to weather and deteriorate releasing asbestos fibers into the environment.

### VIII. OUTSTANDING POLICY ISSUES

There is no known outstanding policy issues associated with the Site at the present time.

### IX. ENFORCEMENT

The current and former owners of the property claim to be financially incapable of performing the clean-up activities requested by EPA.

### **ENFORCEMENT COST ESTMATE**

The total EPA cost for this removal action, based on full-cost accounting practices that will be eligible for cost recovery, is estimated to be \$5,813,138 and was calculated as follows:

COST CATEGORY	AMOUNT
Direct Extramural cost	\$4,061,000
Direct Intramural Cost	\$135,000
Subtotal Direct Costs	\$4,196,000
Indirect costs (Indirect Regional Cost Rate 38.54 %)	\$1,617,138
Estimated EPA Costs eligible for Cost Recovery	\$5,813,138

This estimate includes direct costs, which include direct extramural costs and direct intramural costs. Indirect costs are calculated based on and estimated indirect cost rate expressed as a percentage of site-specific direct costs, consistent with full cost accounting methodology which became effective on October 2, 2000. These estimates do not include prejudgment interest, do not take into account other enforcement costs, including Department of Justice costs, and may be adjusted during the course of the removal action. The estimates are for illustrative purposes only, and their use in this Action Memorandum may not be relied upon by any third party as binding upon EPA. Neither the lack of a total cost estimate nor deviation of actual costs from this estimate will affect the United States' right to cost recovery.

### X. RECOMMENDATION

This decision document represents the selected removal action for the Charlestown Mall Site located in the Village of Frankfort, Herkimer County, New York. This document has

been developed in accordance with CERCLA and is not inconsistent with the NCP. This decision is based on the administrative record for the Site.

The total funding increase requested in this Action Memorandum is \$2,192,000, of which, \$1,903,000 is from the Regional removal advice of allowance for mitigation contracting. If approved, the new total project ceiling will be increased to \$4,061,000, of which, \$3,313,000 is for mitigation contracting. There are sufficient monies in the Advice of allowance to fund the project.

Please indicate your formal authorization for the removal action at the Charlestown Mall Site, as per current Delegation of Authority, by signing below.

APPROVAL: (	Friand Ende	DATE: 8 8 11
	Judith A. Enck Regional Administrator	) )
DISAPPROVAL:		DATE:
	Judith A. Enck Regional Administrator	

cc: (after approval is obtained


G. Pavlou, DRA


W. Mugdan, ERRD-D

- J. LaPadula, ERRD-DD
- J. Rotola, ERRD-RAB
- D. Harkay, ERRD-RAB
- B. Grealish, ERRD-RAB
- G. Zachos, ACSM/O
- C. Peterson, ERRD-NYRB
- T. Lieber, ORC-NYCSFB
- M. ears, PAD
- R. Manna, OPM-FMB
- K. Giacobbe, OPM-GCMB
- P. McKechie, OIG
- T. Grier, 5202G
- A. English, NYSDEC
- A. Raddant, USDOI
- S. Bates, NYSDOH
- L. Rosman, NOAA
- R. Craig, RST

## **ATTACHMENT 1**

Site Location Map Site Layout





## **ATTACHMENT 2**

Photographic Documentation

### Charlestown Mall Site – Photographic Documentation Frankfort, NY



View facing East of the eastern half of former Bldg 3 prior to EPA removal activities.



View facing West of the western half of former Bldg 3 prior to EPA removal activities.

## Charlestown Mall Site – Photographic Documentation Frankfort, NY



Asbestos containing material (ACM) identified in the Building 5 debris.



Asbestos contaminated demolition debris following demolition completed by EPA.

## **ATTACHMENT 3**

Asbestos Survey

### ASBESTOS SURVEY REPORT CHARLESTOWN COMPLEX UTICA, NEW YORK

Project #8916

Prepared April 1998

Prepared For:

**Gaetano Construction** 311 Turner Street

Utica, New York 13501

Prepared By:

Jack Eisenbach Engineering, P.C.

291 Genesee Street Utica, New York 13501



## CHARLESTOWN COMPLEX SURVEY REPORT

### PROJECT #8916

The following report is a summary of the asbestos survey performed by Jack Eisenbach Engineering, P.C. (JEE) in connection with the demolition of the Charlestown Complex located in Utica, New York. The buildings scheduled to be surveyed were Buildings 3, 4, 5, 6, 7, 10, 11, 12, 14, 16, and 18.

Four transformer buildings were also surveyed. Transformer Building No. 1 is part of the Boiler House, Building 6; Transformer Building No. 2 is a standalone structure between Buildings 3 and 5; and Transformer Buildings No. 3 and 4 are attached to Building 12.

The inspection was performed and samples were collected by Anthony J. Scialdone (New York State Accredited Inspector, Number AH92-13654) and James S. Wheeler (New York State Accredited Inspector, Number AH89-01165 between February 26 and March 11, 1998.

The survey was performed in accordance with New York State Code Rule 56 regulations. All accessible suspect materials were sampled. Floor tiles laid over wood flooring and roofing materials were not sampled because they can be disposed of as construction debris during the demolition. These materials were assumed to contain asbestos. Friable samples collected were read using Polarized Light Microscopy (PLM). Non-friable organically bound samples were analyzed utilizing gravimetric reduction with Polarized Light Microscopy (PLM) and Transmission Electron Microscopy (TEM) confirmation of all PLM negatives. All samples were analyzed by Scientific Laboratories, Inc.

Building 3 was not surveyed due to unsafe conditions. It can be demolished under an applicable variance which will allow the demolition to occur without prior asbestos abatement. Buildings 5 and 7 were partially collapsed and not all areas were accessible. Only the accessible areas were surveyed.


Additionally, all light ballasts were counted in each building.

### TABLE OF CONTENTS

## Appendices

$\boldsymbol{A}$	SAMPLE LOG		i i
		• .	
$\boldsymbol{B}$	FINDINGS - LISTING OF A	SBESTOS CONTAININ	G MATERIALS
	IDENTIFIED		<i>:</i>

- C LABORATORY ANALYSIS RESULTS
- D DRAWINGS SHOWING
  - Sample locations
- E ACCREDITATIONS







291 Genesee Street, Utica, New York 13501 315-735-1916 Fax 315-735-6365

## **BUILDING 4**

PROJECT: Charlestown Complex

PROJECT #: 8916

SAMPLE NUMBER	RESULTS (+/-)	MATERIAL SAMPLED	SAMPLE LOCATION
8916-4-01	+	Interior Window Caulk	1'x1' Windows - 4th Floor
8916-4-02	+	Interior Window Glazing	4th Floor
8916-4-03	+	Interior Window Caulk	4th Floor
8916-4-04	+	Aircell	4th Floor
8916-4-05	+	Mag Pipe Insulation	4th Floor
8916-4-06	+	Drop Ceiling Tile	4th Floor
8916-4-07	+	Duct Insulation	4th Floor
8916-4-08	+	Fitting on Fiberglass Pipe	3rd Floor
8916-4-09		Sheetrock	3rd Floor
8916-4-10	-	Joint Compound	3rd Floor
8916-4-11		Sheetrock	2nd Floor
8916-4-12	_	Interior Window Caulk	2nd Floor
8916-4-13	-	Interior Window Glazing	2nd Floor
8916-4-14	+	Exterior Window Caulk	2nd Floor
8916-4-15	-	Exterior Window Glazing	2nd Floor
<del> </del>	<del> </del>		

Samples Collecte Anthony Scialdone		
Accreditation No. AH-92-13654		

- = Asbestos was NOT detected above the regulatory limit of 1% by weight.
- + = More than 1% asbestos by weight was detected.





291 Genesee Street, Utica, New York 13501 315-735-1916 Fax 315-735-6365

## BUILDING 5, 7 & 16

PROJECT: Charlestown Complex

PROJECT #: 8916

SAMPLE NUMBER	RESULTS   (+/-)	MATERIAL SAMPLED	SAMPLE LOCATION
8916-5-01		Aircell Insulation	1st Floor Hall
8916-5-02		Mag Insulation	1st Floor Hall
8916-5-03		Interior Window Glazing	1st Floor
8916-5-04		Exterior Window Glazing	1st Floor
8916-7-01		Wall Plaster	1st Floor
8916-7-02		Mag Insulation	1st Floor
8916-7-03		Fitting Insulation	3rd Floor
8916-7-04		Interior Window Glazing	1st Floor
8916-7-05		Interior Window Caulk	1st Floor
8916-7-06		Aircell Insulation	N
8916-7-07		Exterior Door Caulk	
8916-7-08		Door Window Glazing	
8916-7-09		9"x9" Floor Tile	
8916-7-09M		9"x9" Floor Tile Mastic	1st Floor
8916-7-010		Exterior Window Glazing	
8916-16-01			Building #16
8916-16-02		,	Building #16

Samples Collecte Anthony Scialdone			
Accreditation No. AH-92-13654			

- = Asbestos was NOT detected above the regulatory limit of 1% by weight.
- + = More than 1% asbestos by weight was detected.





291 Genesee Street, Utica, New York 13501 315-735-1916 Fax 315-735-6365

## **BUILDING 6**

PROJECT: Charlestown Complex

PROJECT #: 8916

SAMPLE NUMBER	<i>RESULTS</i> (+/-)	MATERIAL SAMPLED	SAMPLE LOCATION
8916-6-01	+	Boiler Packing	Boiler #2
8916-6-02	-	Packing Cement	Boiler #2
8916-6-03	-	Firebrick in Boiler	Boiler #2
8916-6-04		Packing in Boiler Peephole	Boiler #2
8916-6-05	+	Gasket Around Opening	Boiler #1
8916-6-06	+	Pipe Insulation	Boiler Room
8916-6-07	+	Fitting Insulation	Boiler Room
8916-6-08	+	Breeching	Boiler Room
8916-6-09	-	Brick Mortor	Boiler #3
8916-6-10	+	Heat Exchanger Inc.	Boiler Room
8916-6-11	+	Mag Pipe Insulation	Backup Generator Room
8916-6-12	-	Interior Window Caulk	Backup Generator Room
8916-6-13	-	Interior Window Glazing	Backup Generator Room
8916-6-14	+	Exterior Door Frame Caulk	
8916-6-15	+	Wall Plaster	Bathroom
8916-6-16	+	Ceiling Plaster	Bathroom
8916-6-17	-	Wall Plaster	Pump Room
8916-6-18	<del>-</del>	Transite Panel	Transformer Room
8916-6-19	-	Exterior Window Caulk	
8916-6-20	+	Exterior Window Glazing	
8916-6-21	+	Boiler Packing Insulation	Front of Boiler #1

Samples Collecte Anthony Scialdone		
Accreditation No. AH-92-13654	-	

- = Asbestos was NOT detected above the regulatory limit of 1% by weight.
- + = More than 1% asbestos by weight was detected.





Jack Eisenbach Engineering, P.C. 291 Genesee Street, Utica, New York 13501 315-735-1916 Fax 315-735-6365

## **BUILDING 10**

PROJECT: Charlestown Complex

PROJECT #: 8916

SAMPLE NUMBER	RESULTS (+/-)	MATERIAL SAMPLED	SAMPLE LOCATION
8916-PR-01	+	Interior Window Glazing	North Transformer Bldg.
8916-PR-02	-	Wiring	South Transformer Bldg.
8916-10-01	+	Interior Window Glazing	2nd Floor
8916-10-02	-	Interior Window Caulk	2nd Floor
8916-10-03	-	Sheetrock	3rd Floor
8916-10-04	•	Joint Compound	2nd Floor
8916-10-05	+	Interior Window Glazing	3rd Floor
8916-10-06	+	Interior Window Caulk	3rd Floor
8916-10-07		Sheetrock	3rd Floor
8916-10-08	<u>-</u>	Joint Compound	· 3rd Floor
8916-10-09	+	Fitting Insulation	4th Floor
8916-10-10	<u>-</u>	2'x4' Ceiling Tile	4th Floor
8916-10-11	+	Mag Pipe Insulation	4th Floor
8916-10-12	+	Exterior Window Caulk	
8916-10-13	+	Exterior Window Glazing	
8916-10-14	+	Exterior Door Caulk	
		-	
	· · · · · · · · · · · · · · · · · · ·		

Samples Collecte Anthony Scialdone	
Accreditation No. AH-92-13654	

- = Asbestos was NOT detected above the regulatory limit of 1% by weight.
- + = More than 1% asbestos by weight was detected.





291 Genesee Street, Utica, New York 13501 315-735-1916 Fax 315-735-6365

## **BUILDING 11**

PROJECT: Charlestown Complex

PROJECT #: 8916

SAMPLE NUMBER	RESULTS (+/-)	MATERIAL SAMPLED	ŞAMPLE LOCATION
8916-11-01	+	Transite Table	Welding Equipment Room
8916-11-02	. <del>-</del>	Firebrick	Welding Equipment Room
8916-11-03	-	Sheetrock	Welding Room
8916-11-04		Joint Compound	Car Storage
8916-11-05	+	9"x9" Floor Tile	Boat Storage
8916-11 <b>-</b> 05M	+	9"x9" Floor Tile Mastic	Boat Storage
8916-11-06	-	Vapor Barrier	Boat Storage
8916-11-07	+	Pipe Insulation	Boat Storage
8916-11-08	, =	Fiberglass Flooring	Large Equipment Storage
8916-11-09	+	Window Caulk	Large Equipment Storage
8916-11-10	+	Window Glazing	Large Equipment Storage
8916-11-11	+	Transite Table	Large Equipment Storage
8916-11-12	-	Fitting Insulation	Boat Storage
8916-11-13	+	Exterior Window Glazing	Outside
8916-11-14	+	Exterior Window Caulk	Outside
8916-11-15	+	Door Frame Caulk	Outside Car Storage Ent.
8916-11-16	-	Sheetrock	Rm off Car Storage
8916-11-17	+	Exterior Fitting	Outside Car Storage Ent.
8916-11-18	-	Sheetrock	Hall
8916-11-19	-	Concrete Ceiling	Hannibal Storage
8916-11-22		Joint Compound	Hall
8916-11-23	-	Joint Compound	Car Storage
8916-11-25		Concrete Ceiling	Hannibal Office

Samples Collecte Anthony Scialdone	
Accreditation No. AH-92-13654	

- -= Asbestos was NOT detected above the regulatory limit of 1% by weight.
- + = More than 1% asbestos by weight was detected.



### SAMPLE LOG

### Jack Eisenbach Engineering, P.C.

291 Genesee Street, Utica, New York 13501 315-735-1916 Fax 315-735-6365

## **BUILDING 12**


PROJECT: Charlestown Complex

PROJECT #: 8916

SAMPLE NUMBER	RESULTS (+/-)	MATERIAL SAMPLED	SAMPLE LOCATION
8916-12-01	+	Interior Window Glazing	Charlie G Bar
8916-12-02	-	Interior Window Caulk	Charlie G Bar
8916-12-03	+	Aircell Pipe Insulation	Charlie G Office
8916-12-04	•	Joint Compound	Charlie G Kitchen
8916-12-05	-	Sheetrock	Charlie G Kitchen
8916-12-06	-	Joint Compound	Charlie G Office
8916-12-07		Sheetrock	Charlie G Office
8916-12-08	+	Exterior Window Caulk	Charlie G Dining Rm
8916-12-09	+	Exterior Window Glazing	Charlie G Dining Rm
8916-12-10	+	Packing Material in Lights	Bar
8916-12-11	_	Interior Window Glazing	4th Floor
8916-12-12	+	Interior Window Caulk	4th Floor
8916-12-13	+	Fitting Insulation	Middle Rm - 4th Floor
8916-12-14	_	Sheetrock	4th Floor
8916-12-15	-	2'x4' Ceiling Tile	4th Floor
8916-12-16	+	Exterior Door Caulk	1st Floor
8916-12-17	+	Exterior Window Caulk	1st Floor
8916-12-18	+	Exterior Window Glazing	1st Floor
		,	

Samples Collecte Anthony Scialdone	 
Accreditation No. AH-92-13654	

- = Asbestos was NOT detected above the regulatory limit of 1% by weight.
- + = More than 1% asbestos by weight was detected.



## CHARLESTOWN COMPLEX SURVEY REPORT

### **FINDINGS**

### 1. **Building 3**

Building 3 was unsafe because of the roof and free standing brick walls had collapsed. It was not surveyed.

### 2. Building 4

Building 4 is a four-story structure and all areas were accessed. Materials which tested positive for asbestos in Building 4 were window caulking, window glazing, pipe and fitting insulation, 2'X4' drop ceiling tiles, and duct insulation. Below is a listing of asbestos containing materials by floor. Also included in the listing is a light ballast count and floor tile and mastic.

4		· · · · · · · · · · · · · · · · · · ·	
LOCATION	MATERIAL	APPROXIM	MATE AMOUNT
First Floor	Pipe Insulation	1,580	Linear Feet
	Light Ballasts	165	Lights
Second Floor	Pipe Insulation	25	Linear Feet
	Fittings on Fiberglass Pipes	5	Fittings
	Floor Tile and Mastic	1,900	Square Feet
	Light Ballasts	45	Lights
Third Floor	Pipe Insulation	. 100	Linear Feet
	Fittings on Fiberglass Pipes	18	Fittings
	Floor Tile and Mastic	1,900	Square Feet
	Light Ballasts (Hanging)	164	Lights
	Light Ballasts (Piled on ground)	10	Lights
Fourth Floor	Pipe Insulation	180	Linear Feet
	Duct Insulation	25	Square Feet
	Floor Tile and Mastic	5,600	Square Feet
	Ceiling Tiles (Piled on ground)	40	Tiles
	Light Ballasts	310.	Lights
Throughout Building	Window Caulk and Glazing		Throughout
Roof	Roofing		Throughout

### 3. **Building 5**

Building 5 is a four-story structure with most areas accessible. The top two floors were only 75% accessible due to a partially collapsed roof. Materials which tested positive for asbestos in Building 5 were floor tile and mastic, door caulk, window glazing, and pipe and fitting insulation. There was also a transite board in the electrical room on the roof, which was not sampled but assumed to contain asbestos. The building also has an underground tunnel leading to Building 11. The tunnel has asbestos containing pipe and fitting insulation throughout.

Due to the collapsed roof, there is heavy water damage throughout the building. As a result, much of the pipe insulation is severely damaged and debris has fallen to the floor. There are approximately 150 bags of asbestos containing floor tile that are stored on the second floor of this building.

Below is a listing of asbestos containing materials and light ballast count by floor.

LOCATION	MATERIAL	APPROXIMATE AMOUNT	
First Floor	Floor Tile and Mastic	1,050 Square Feet	_
•	Pipe Insulation (Intact)	1,475 Linear Feet	
	Pipe Insulation Asbestos Debris	Throughout	
	Light Ballasts	130 Lights	
Second Floor	Pipe Insulation	100 Linear Feet	
	Bags Containing Floor Tile	150 Bags	
	Floor Tile/Mastic	1,000 Square Feet	
	Light Ballasts (Intact)	142 Lights	
	Light Ballasts (In piles)	100 Lights	
Third Floor	Pipe Insulation (Intact)	900 Linear Feet	
	Pipe Insulation Asbestos Debris	Throughout	
	Light Ballasts	112 Lights	
Fourth Floor	Pipe Insulation (Intact)	390 Linear Feet	-
	Pipe Insulation Asbestos Debris	Throughout	
	Floor Tile/Mastic	4,950 Square Feet	
	Light Ballasts	6 Lights	
On Roof	Transite Board (Electrical Room)	18 Square Feet	
Throughout	Door Caulk	Throughout	
Building	Window Glazing		
Tunnel to Bldg. 11	Pipe Insulation	100 Linear Feet	
Roof	Roofing	Throughout	

### 4. **Building 6**

Building 6 is the former boiler house. It is a one-story structure and all areas were accessible. The building also has three underground tunnels that lead to Buildings 4, 7, and 11. Materials which tested positive for asbestos in Building 6 were boiler packing, boiler gaskets, wall and ceiling plaster, heat exchanger insulation, pipe and fitting insulation, boiler breeching, exterior window glazing and exterior door frame caulking.

Pipe insulation was found and quantified in the tunnel to Building 7. Pipe insulation could be seen in the tunnel to Building 11, but because it was collapsed and unsafe, it could not be quantified. The tunnel to Building 4 was blocked off at both ends, but it is assumed that pipe insulation exists in it. Below is a listing of asbestos containing materials and a light ballast count.

LOCATION	MATERIAL	APPROXIMATE AMOUNT	٠
Boiler Room	Boiler Packing (on all 3 boilers)	200 Square Feet	
	Boiler Gaskets (on boilers and	100 Square Feet	
	in storage cabinet)	•	
	Pipe Insulation	1,600 Linear Feet	
	Breeching	2,000 Square Feet	
	Heat Exchanger Insulation	250 Square Feet	
Generator Room	Pipe Insulation	375 Linear Feet	
Transformer	Asbestos Wiring	3 Linear Feet	
Bldg. No. 1	Transite Electrical Panels	10 Square Feet	
Water Pump Room	Pipe Insulation	125 Linear Feet	
Bathroom	Wall/Ceiling Plaster	205 Square Feet	
Throughout	Light Ballasts	69 Lights	
Outside Building	Breeching (on ground and intact)	400 Square Feet	
	Pipe Insulation	150 Linear Feet	
	Door Frame Caulk	10 Linear Feet	
	Exterior Window Glazing	Throughout	
Tunnel to Bldg. 7	Pipe Insulation	900 Linear Feet	
Tunner to Diag.	Light Ballasts	2 Lights	
	Dight Danasts	2 Lights	
Tunnel to Bldg. 11	Pipe Insulation	Unknown	
Tunnel to Bldg. 4	Pipe Insulation (assumed)	Unknown	
Roof	Roofing	Throughout	

### 5. **Building 7**

Building 7 is a four-story structure and most areas were accessible. However, there were areas on the top two floors where the roof and walls were partially collapsed. Materials which tested positive for asbestos in Building 7 were window glazing and pipe and fitting insulation.

The entire building has been heavily water damaged due to the collapsed roof. As a result, the pipe insulation has become severely damaged and debris has fallen to the ground.

Below is a listing of asbestos containing materials by floor. Also included in the listing is a light ballast count

LOCATION	MATERIAL	APPROXI	MATE AMOUNT
First Floor	Pipe Insulation (Intact)	356	Linear Feet
	Pipe Insulation Asbestos Debris		Throughout
	Light Ballasts	3	Lights
Second Floor	Pipe Insulation (Intact)	6	Linear Feet
	Pipe Insulation Asbestos Debris		Throughout
· · · · · · · · · · · · · · · · · · ·	Light Ballasts	15	Lights
Third Floor	Pipe Insulation (Intact)	360	Linear Feet
	Pipe Insulation Asbestos Debris		Throughout
	Light Ballasts	. 14	Lights
Fourth Floor	Pipe Insulation (Intact)	10	Linear Feet
	Pipe Insulation Asbestos Debris	•	Throughout
•	Floor Tile/Mastic	500	Square Feet
	Light Ballasts	10	Lights
Outside Building	Window Glazing		Throughout
Roof	Roofing	·	Throughout

### 6. **<u>Building 10</u>**

Building 10 is a four-story structure and most areas were accessible. Materials which tested positive for asbestos in Building 10 were pipe and fitting insulation, window caulk, and window glazing. Below is a listing of asbestos containing materials by floor. Also included in the listing is a light ballast count

LOCATION	MATERIAL	APPROXIMATE AMOUNT
First Floor	Pipe Insulation	1,220 Linear Feet
	Light Ballasts	105 Lights
Second Floor	Pipe Insulation	975 Linear Feet
	Light Ballasts	163 Lights
Third Floor	Pipe Insulation	945 Linear Feet
	Light Ballasts	163 Lights
Fourth Floor	Pipe Insulation	775 Linear Feet
	Light Ballasts	215 Lights
Throughout Building	Window Caulk/Glazing	Throughout
Roof	Roofing	Throughout

### 7. **Buildings 11, 14 and 18**

Buildings 11, 14, and 18 are a one-story interconnected structure and all areas were easily accessible. Materials which tested positive for asbestos were pipe and fitting insulation, floor tile and mastic, window caulk and glazing, transite table tops, and exterior door frame caulk.

There were several pipes in Building 11 that were uninsulated but still had asbestos containing debris on them.

Building 14 has a ceiling that is two floors tall, and both floors contain windows. Also, a box of asbestos gaskets was identified.

Below is a listing of asbestos containing materials and light ballast count.

LOCATION	MATERIAL	APPROXI	MATE AMOUNT
Building 11	Transite Table (Welding Area)	25	SQ FT
	Floor Tile and Mastic	2,000	SQ FT
	Pipe Insulation	440	Linear Feet
	Pipe Insulation w/pipe debris	300	Linear Feet
Building 14	Transite Table	25	SQ FT
	Asbestos Gaskets	. 1	Box
All 3 Buildings	Light Ballasts	400	Lights
Throughout	Window Caulk/Glazing	•	Throughout
Buildings	Door Frame Caulk	. •	Throughout
Exterior	Fitting (Fiberglass line - Bldg. 11)	. 2	Fittings
	Pipe Insulation (Outside Bldg. 14)		Linear Feet
Roof	Roofing		Throughout

### 8. Building 12

Building 12 is a four-story structure and most areas were accessible. There were several rooms that were being used for storage that were padlocked and could not be accessed. However, most areas adjacent to locked rooms were open and we could assume what suspect materials were in the locked areas. Transformer Buildings 3 and 4 are attached to Building 12.

Materials which tested positive for asbestos in Building 12 were pipe and fitting insulation, window caulk and glazing, light packing material, and exterior door caulk. Below is a listing of asbestos containing materials by floor. Also included in the listing is a light ballast count and floor tile and mastic.

				•	
LOCATION	MATERIAL	APPRO	XI	MATE AMO	UNT
First Floor	Pipe Insulation		650	Linear Feet	
	Light Ballasts		130	Lights	
	Light Packing Insulation (In the		20	Lights	. 1
·	Restaurant Bar)				
C LEI					
Second Floor	Pipe Insulation	1.		Linear Feet	
	Fittings (On Fiberglass Lines)	•		Fittings	
	Floor Tile/Mastic		500	Square Feet	•
•	Light Ballasts		246	Lights	
Third Floor	Pipe Insulation	1	150	Linear Feet	
	Light Ballasts			Lights	
	Eight Danasis		2 <del>4</del> 0	Lights	
Fourth Floor	Pipe Insulation	1,	150	Linear Feet	
	Floor Tile/Mastic	3,	000	Square Feet	
	Fittings (On Fiberglass Lines)		93	Fittings	
•	Fittings (On cut pipes on ground)		20	Fittings	*
	Light Ballasts			Lights	
Thursday all and					
Throughout	Exterior Window Caulk/Glazing			Throughout	
Building	Interior Window Caulk/Glazing			Throughout	
	Exterior Door Caulk			Throughout	• -
Transformer Buildings 3 and 4	Interior Window Glazing			Throughout	
7					·
Roof	Roofing	•		Throughout	

### 9. **<u>Building 16</u>**

Building 16 is a small one-story garage. The asbestos containing material identified in this building is pipe insulation. There is approximately 10 linear feet of pipe insulation inside the building, and 50 linear feet outside the building.

### 10. Transformer Building No. 2

Tranformer Building No. 2 is a small one-story structure. The asbestos containing material identified in this building is window glazing.

	•						
				•			
	•						
	•	·					
							•.
			÷			_	
							· ·
						-	
	•				•		
				•			
		•	•				•
			•				
						*	
					·		
and plant							
A Paragraphic Color							
			•				
- The state of the							
200							
PONT TO THE PONT T							
			•				4.
an dece	4.0						
							· ·
			•				
1							
]							
			+				
		•					
	•						



117 E. 30th St.

NY, NY 10016

212/679-8600

Fax 212/679-9392

March 14, 1998

JACK EISENBACH ENGINEERING, P.C. Attn: Mr. Eisenbach 291 Genesee Street Utica, NY 13501

RE: JACK EISENBACH ENGINEERING, P.C. Job Number 98035939 P.O. # 8916

8916; Charlestown; Building #4

Dear Mr. Eisenbach:

Enclosed are the results of Asbestos Analysis - Bulk Protocol of the following JACK EISENBACH ENGINEERING, P.C. samples, received at Scientific Laboratories on Thursday, March 12, 1998, for a 3 day turnaround:

8916-4-01, 8916-4-02, 8916-4-03, 8916-4-04, 8916-4-05, 8916-4-06, 8916-4-07, 8916-4-08, 8916-4-09, 8916-4-10, 8916-4-11, 8916-4-12, 8916-4-13, 8916-4-14, 8916-4-15

The 15 samples, placed in zip lock bag, were shipped to SciLab via Hand Delivered. JACK EISENBACH ENGINEERING, P.C. requested ELAP PLM/TEM analysis of these samples.


The results of the analyses performed under ELAP 198.1 & 198.4 guidelines are presented within the Summary Table of this report. The presence of matrix reduction data in the Summary Table normally indicates an NOB sample. For NOB samples the individual matrix reduction and TEM analysis results are listed in the TEM report in the Appendix. Complete PLM results for individual samples are presented in the Appendix of this combined report. This report relates ONLY to sample analysis expressed as percent composition by weight and percent asbestos. This report must not be used to claim product endorsement or approval by these laboratories, NVLAP, ELAP or any other associated agency.

SciLab appreciates this opportunity to serve your organization. Please contact us for any further assistance or with any questions.

Singerely

Paul Mucha

Laboratory Supervisor





117 E. 30th St.

NY. NY 10016

212/679-8600 FAX: 212/679-9392

# PLM Bulk Asbestos Report

JACK EISENBACH ENGINEERING, Date Received

P.C.

Attn: Jack Eisenbach 291 Genesee Street Utica, NY 13501

ELAP Number

3/12/98

SciLab Job No. 98035939

**Date Examined** 3/13/98

11480

P.O. # 8916 Page 1 of 4

RE: 8916; Charlestown; Building #4

Client No. / HGA

Lab No.

Asbestos Present

Total % Asbestos

8916-4-01

98035939-01

Yes

4.1 %

Location: 1x1 Windows, Fouth Floor

Description: Grey, Homogeneous, Interior Window Caulk

Asbestos Types: Chrysotile 4.1 % Other Material: Non-fibrous 37.6 %

Comment: PLM Analysis Of NOB Inert Residue

8916-4-02

98035939-02

Yes

 $\leq 1.\%$ 

Location: 4th Floor

Description: Grey, Homogeneous, Interior Window Glazing

Asbestos Types: Chrysotile <1. % Other Material: Non-fibrous >73.1 %

Comment: PLM Analysis Of NOB Inert Residue

8916-4-03

98035939-03

Yes

≤ 1. %

Location: 4th Floor

Description: Grey, Homogeneous, Interior Window Caulk

Asbestos Types: Chrysotile <1. % Other Material: Non-fibrous 70.6 %

Comment: PLM Analysis Of NOB Inert Residue

8916-4-04

98035939-04

Yes

57 %

Location: 4th Floor

Description: Off White, Homogeneous, Aircell

Asbestos Types: Chrysotile 57. % Other Material: Non-fibrous 43. %



117 E. 30th St.

NY, NY 10016

212/679-8600 FAX: 212/679-9392

# PLM Bulk Asbestos Report

JACK EISENBACH ENGINEERING. Date Received

P.C.

Attn: Jack Eisenbach 291 Genesee Street Utica, NY 13501

**ELAP Number** 

3/12/98

SciLab Job No. 98035939

Date Examined 3/13/98

P.O. # 8916

11480

Page 2 of 4

RE: 8916; Charlestown; Building #4

Client No. / HGA

Lab No.

**Asbestos Present** 

Total % Asbestos

8916-4-05

98035939-05

Yes

44 %

Location: 4th Floor

Description: Off White, Homogeneous, Mag Pipe Insulation

Asbestos Types: Amosite 44. % Other Material: Non-fibrous 56. %

8916-4-06

98035939-06

Yes

3.7 %

Location: 4th Floor

Description: Off White, Homogeneous, Drop Ceiling Tile

Asbestos Types: Chrysotile 3.7 %

Other Material: Fibrous glass 70. %, Non-fibrous 26.3 %

8916-4-07

98035939-07

Yes

66 %

Location: 4th Floor

Description: Grey, Homogeneous, Duct Insulation

Asbestos Types: Chrysotile 66. % Other Material: Non-fibrous 34. %

8916-4-08

98035939-08

Yes

66 %

Location: 3rd Floor

Description: Beige, Homogeneous, Fitting on FG Pipe

Asbestos Types: Chrysotile 66. % Other Material: Non-fibrous 34. %

8916-4-09

98035939-09

No

NAD

Location: 3rd Floor

Description: Off White, Homogeneous, Sheetrock

Asbestos Types:

Other Material: Cellulose 15. %, Fibrous glass 5. %, Non-fibrous 80. %



117 E. 30th St.

NY. NY 10016

212/679-8600 FAX: 212/679-9392

# PLM Bulk Asbestos Report

JACK EISENBACH ENGINEERING. Date Received

P.C.

Attn: Jack Eisenbach 291 Genesee Street Utica, NY 13501

3/12/98

SciLab Job No. 98035939

Date Examined **ELAP Number** 

3/13/98 11480

**P.O.** # 8916 Page 3 of 4

RE: 8916; Charlestown; Building #4

Client No. / HGA

Lab No.

Asbestos Present

**Total % Asbestos** 

8916-4-10

98035939-10

No

NAD

**Location:** 3rd Floor

Description: White, Homogeneous, Joint Compound

Asbestos Types:

Other Material: Non-fibrous 100. %

8916-4-11

98035939-11

Nο

NAD

Location: 3rd Floor

Description: White, Homogeneous, Sheetrock

Asbestos Types:

Other Material: Cellulose 15. %, Fibrous glass 3. %, Non-fibrous 82. %

8916-4-12

98035939-12

Yes

≤ 1. %

Location: 2nd Floor

**Description:** Grey, Homogeneous, Interior Window Caulk

Asbestos Types: Chrysotile Trace Other Material: Non-fibrous 69.2 %

Comment: PLM Analysis Of NOB Inert Residue

8916-4-13

98035939-13

No

NAD .

Location: 2nd Floor

Description: Grey, Homogeneous, Interior Window Glazing

Asbestos Types:

Other Material: Non-fibrous 48.1 %

Comment: PLM Analysis Of NOB Inert Residue



117 E. 30th St.

NY, NY 10016

212/679-8600 FAX: 212/679-9392

# PLM Bulk Asbestos Report

JACK EISENBACH ENGINEERING, Date Received

P.C.

Attn: Jack Eisenbach 291 Genesee Street Utica, NY 13501

3/12/98

SciLab Job No. 98035939

**Date Examined ELAP Number** 

3/13/98 11480

**P.O.** # 8916 Page 4 of 4

RE: 8916; Charlestown; Building #4

Client No. / HGA

Lab No.

Asbestos Present

Total % Asbestos

8916-4-14

98035939-14

Yes

10.8 %

Location: Exterior Window

Description: Grey, Homogeneous, Exterior Window Caulk

Asbestos Types: Chrysotile 10.8 % Other Material: Non-fibrous 39.6 %

Comment: PLM Analysis Of NOB Inert Residue

8916-4-15

98035939-15

No

NAD

Location: Exterior Window

**Description:** Grey, Homogeneous, Exterior Window Glazing

Asbestos Types:

Other Material: Non-fibrous 48.2 %

Comment: PLM Analysis Of NOB Inert Residue

### Reporting Notes:

Analyzed by: Bella Chernis

\*NAD/NSD = no asbestos detected; NA = not analyzed; NAP = not analyzed positive stop; Bulk Asbestos Analysis per 40 CFR 763, Subpart F, Appendix A and ELAP Analysis Protocols 198.1/198.4 for NY samples; Note: PLM is not consistently reliable in detecting asbestos in floor coverings and similar non-friable organically bound materials. TEM is currently the only method that can be used to determine if this material can be considered or treated as non-asbestos-containing in NY State (see also EPA Advisory for floor tile, FR 59, 146, 38970, 8/1/94). National Institute of Standards and Technology Accreditation requirements mandate that this report must not be reproduced except in full with the approval of the lattoratory. This report relates ONLY to the items tested. ELAP #11480, Vt. Cert. #AL016055

Reviewed By:

98-03-5939

Client Name:

JACK EISENBACH ENGINEERING, P.C.

# Table I Summary of Bulk Asbestos Analysis Results

8916; Charlestown; Building #4

SciLab Sample #	Client Sample# Location	HG Area	Sample Weight (gram)	Heat Sensitive Organic %	Acid Soluble Inorganic %	Insoluble Non-Asbestos Inorganic %	** Asbestos % by PLM/DS ELAP # 11480	** Asbestos % by TEM ELAP # 11480
01	8916-4-01		0.453	24.06	34.22	37.62	Chrysotile 4.1	NA
	1x1 Windows, Fouth Floor	r .					·	
02	8916-4-02		0.95	9.26	17.58	65.84	Chrysotile <1.	Chrysotile 7.32
	4th Floor						·	
03	8916-4-03	•	1.085	17.05	12.26	67.16	Chrysotile <1.	Chrysotile 3.53
	4th Floor					•		
04	8916-4-04		*****				Chrysotile 57.	NA
	4th Floor							
05	8916-4-05				· ·		Amosite 44.	NA
•	4th Floor			-				
- 06	8916-4-06					allowed below the second	Chrysotile 3.7	NA
•	4th Floor							•
07	8916-4-07						Chrysotile 66.	NA
	4th Floor				•			
08	8916-4-08	9			<del></del>	· 	Chrysotile 66.	NA
	3rd Floor							

Reviewed by.			// V _	
PLM analyst: Bella Chernis ;	TEM analyst: Lance Tuckruskye	dance Kuck	eus Je	
Quantification should be considered qualitative only (positive or neg	gative) for beginning sample weights	of less than 0.1 grams.	NAD = no asbestos de	etected; NA = not analyzed; Trace
<1%; NAPS = not analyzed positive stop; Bulk Asbestos Analysis -	PLM per 40 CFR 763, Subpt F, A	ppd A; - TEM by Chatfie	eld and ELAP Analysis	
New York samples; Note: TEM resolves all asbestos fibers where	eas PLM typically will not resolve fit	ers <~0.2 microns in dia	ameter. $\bigvee$	

Reviewed By: Kance Kuckeus

98-03-5939

Client Name:

JACK EISENBACH ENGINEERING, P.C.

# Table I Summary of Bulk Asbestos Analysis Results 8916; Charlestown; Building #4

SciLab Sample #	Client Sample# Location	HG Area	Sample Weight (gram)	Heat Sensitive Organic %	Acid Soluble Inorganic %	Insoluble Non-Asbestos Inorganic %	** Asbestos % by PLM/DS ELAP # 11480	** Asbestos % by TEM ELAP # 11480
09	8916-4-09						NAD	NA
	3rd Floor					* a	HAD	INA
10	8916-4-10						NAD	NA
	3rd Floor						TVID	INA
11	8916-4-11			·	· 		NAD	NA
	3rd Floor							1373
12	8916-4-12		0.748	14.30	16.44	69.25	Chrysotile Trace	Chrysotile Trace
	2nd Floor					07.20	Cinysodic Trace	Cinysome Trace
13	8916-4-13		0.823	24.30	27.58	48.12	NAD	NAD
	2nd Floor							11312
14	8916-4-14		0.797	30.49	19.07	39.64	Chrysotile 10.8	NA
	Exterior Window				,,	, 2770 .	Old y Boule 10.0	
15	8916-4-15		0.792	30.93	20.83	48.23	NAD	NAD
•	Exterior Window			•	• •			112 112

Reviewed by:		
PLM analyst: Bella Chernis; T	TEM analyst: Lance Tuckruskye Namee Ruchun	
Quantification should be considered qualitative only (positive or negative	ive) for beginning sample weights of less than 0.1 grams. NAD = no asbestos detected; NA = not	analyzed: Trace:
<1%; NAPS = not analyzed positive stor; Bulk Asbestos Analysis - PI	LM per 40 CFR 763, Subpt F. Appd A: - TEM by Chatfield and EVAP Analysis Protocol PLM-198	1.1/TEM-198.4 for
New York samples: Note: TEM resol es all asbestos fibers whereas I	PLM typically will not resolve fibers <~0.2 microns in diameter.	
Reviewed By: Nance Luckung		



### JACK EISENBACH ENGINEERING, P.C.

291 GENESEE STREET, UTICA, NEW YORK 13501+315+735+1916 + FAX 315+735+6365

CLIENT:	CHARLESTOWN	/	PROJECT #:	8916	
ADDRESS:			DATE(S) COLLECTED:	3/11/9	F .
	-		SAMPLES COLLECTED BY:	TONY SCI	
LABORATORY:	SCI LAB				
	.*	TYPE of AN	<u>VALYSIS</u>		•
PLM Only TEM Only PLM/ TEM Required By	IXI	ASBESTOS A PCM TEM AHERA TEM NIOSH 74		LEAD AA NIOSH 7082	
	RUSH	TURNAROUN 72 Hou		OTHER	٠.
		CHAIN OF C	<u>USTODY</u>		# OF
REMITTED BY:	TONY Sciellone	SIGNATURE  LISUTATION	AFFILIATION TEE	<u>DATE</u> 3/11/98	SAMPLES 15
RECEIVED BY:	S. Loper	7.00	Scilab.	3/12/98	1200
<del></del>		-			
REMITTED BY:					· · ·
RECEIVED BY:					
=======================================			•		<del></del> =
REMITTED BY:					
RECEIVED BY:	· ·				
PLEASE FAX RESU	LTS ASAP TO ( 315	·) 735 - 636	5_, ATTN:	ONY	
NOTES:			· -	9	·



Jack Eisenbach Engineering, P.C. 291 Genesee Street, Utica, New York 13501 315-735-1916 Fax 315-735-6365

PROJECT: Chadestown - Bldg. #4

PROJECT #: 8916

SAMPLE LOG

SAMPLE	НОМО	RESULTS		SAMPLE
NUMBER	ID#	(+/-)	MATERIAL SAMPLED	LOCATION
8916-4-01			INT. VINDON CAULK	IXI WINDOWS - 4th FLOOR
-02			JNT. NINDON GLAZING	4th Floor
- 03			JUY. WILLDOW CAULK	4th Floor
-04			AIRCELL	4th Floor -
-08			MAY PIPE INSULATION	4th Flank
- 06			DROP CEILING TILE	4th Place
-07			DULT INSULATION	4th Front
- 08			FITTING ON F.G. PIPE	3RD Floor
- 09			SHEETROCK	3RD FLOR
- /0			JANT COMPOUND	310 Floor
- //			SHEGTROCK	END Fleet
- 12			INT. WINDOW CAULK	HEREN IND FLOOR
- /3			INT. WNOON GLAZING	END Floor
- /4	•		EXT. WINDOW CAUK	
-15			EXT. WINDOW GLASHNG	
·				
	·			
• • •	-		• • • •	
•				
·				

Samples Collected By:	Tony Scialdone	-
Accreditation No:	AH92-13654	



117 E. 30th St.

NY, NY 10016

212/679-8600

Fax 212/679-9392

March 8, 1998

JACK EISENBACH ENGINEERING, P.C. Attn: Mr. Eisenbach 291 Genesee Street Utica, NY 13501

RE: JACK EISENBACH ENGINEERING, P.C. Job Number 98035425 P.O. # 8916 8916; Charlestown; Buildings 5, 7, & 16

Dear Mr. Eisenbach:

Enclosed are the results of Asbestos Analysis - Bulk Protocol of the following JACK EISENBACH ENGINEERING, P.C. samples, received at Scientific Laboratories on Thursday, March 5, 1998, for a 3 day turnaround:

8916-16-01, 8916-16-02, 8916-5-001, 8916-5-002, 8916-5-003, 8916-7-004, 8916-7-001, 8916-7-002, 8916-7-003, 8916-7-004, 8916-7-005, 8916-7-006, 8916-7-007, 8916-7-008, 8916-7-009T, 8916-7-009M, 8916-7-010

The 17 samples, placed in zip lock bag, were shipped to SciLab via Federal Express. JACK EISENBACH ENGINEERING, P.C. requested ELAP PLM/TEM analysis of these samples.

The results of the analyses performed under ELAP 198.1 & 198.4 guidelines are presented within the Summary Table of this report. The presence of matrix reduction data in the Summary Table normally indicates an NOB sample. For NOB samples the individual matrix reduction and TEM analysis results are listed in the TEM report in the Appendix. Complete PLM results for individual samples are presented in the Appendix of this combined report. This report relates ONLY to sample analysis expressed as percent composition by weight and percent asbestos. This report must not be used to claim product endorsement or approval by these laboratories, NVLAP, ELAP or any other associated agency.

SciLab appreciates this opportunity to serve your organization. Please contact us for any further assistance or with any questions.

Sinderely.

Paul Mucha

Laboratory Supervisor


a Churche

NOTE: Sample Results for Bldg. 5 are

actually for Bldg. 7. And

Bldg. 7 Should be Bldg. 5 too.





**Environmental Lab Services** 

### SCIENTIFIC LABORATORIES, INC.

117 E. 30th St.

NY, NY 10016

212/679-8600 FAX: 212/679-9392

# PLM Bulk Asbestos Report

JACK EISENBACH ENGINEERING, Date Received

P.C.

Attn: Jack Eisenbach 291 Genesee Street Utica, NY 13501

3/5/98

SciLab Job No. 98035425

**Date Examined** 

3/7/98

**P.O.** # 8916

Page 1 of 5

**RE:** 8916; Charlestown; Buildings 5, 7, & 16

Client No. / HGA

Lab No.

Asbestos Present

**Total % Asbestos** 

8916-16-01

98035425-01

Yes

13 %

Location: Building #16

**Description:** Grey, Homogeneous, Mag Insulation

Asbestos Types: Amosite 13. % Other Material: Non-fibrous 87. %

8916-16-02

98035425-02

Yes

 $\leq 1.\%$ 

**Location:** Building #16

**Description:** Grey, Homogeneous, Door Window Glazing

Asbestos Types: Anthophyllite Trace Other Material: Non-fibrous 0.2 %

Comment: PLM Analysis Of NOB Inert Residue

8916-5-001

98035425-03

Yes

40 %

Location: 1st Floor Hall

**Description:** Grey, Homogeneous, Insulation - Aircell

Asbestos Types: Chrysotile 40. %

Other Material: Cellulose 5. %, Non-fibrous 55. %

8916-5-002

98035425-04

Yes

14 %

Location: 1st Floor Hall

**Description:** Grey, Homogeneous, Mag Insulation

Asbestos Types: Amosite 14. % Other Material: Non-fibrous 86. %



117 E. 30th St.

NY, NY 10016

212/679-8600 FAX: 212/679-9392

# PLM Bulk Asbestos Report

JACK EISENBACH ENGINEERING, Date Received

3/5/98

SciLab Job No. 98035425

P.C.

Attn: Jack Eisenbach 291 Genesee Street Utica, NY 13501

**Date Examined** 

3/7/98

P.O. # 8916

Page 2 of 5

RE: 8916; Charlestown; Buildings 5, 7, & 16

Client No. / HGA

Lab No.

Asbestos Present

Total % Asbestos

8916-5-003

98035425-05

No

NAD

**Location:** 1st Floor

Description: Grey, Homogeneous, Interior Window Glazing

Asbestos Types:

Other Material: Non-fibrous 3.9 %

Comment: PLM Analysis Of NOB Inert Residue

8916-5-004

98035425-06

Yes

≤ 1. %

Location: 1st Floor

Description: Grey, Homogeneous, Exterior Window Glazing

Asbestos Types: Chrysotile <1. % Other Material: Non-fibrous >3.4 %

Comment: PLM Analysis Of NOB Inert Residue

8916-7-001

98035425-07

No

NAD

Location: 1st Floor

Description: Grey, Homogeneous, Cementitious, Wall Plaster

Asbestos Types:

Other Material: Cellulose 5. %, Non-fibrous 95. %

8916-7-002

98035425-08

Yes

35.2 %

Location: 1st Floor

Description: Grey, Homogeneous, Mag Insulation Asbestos Types: Amosite 4.2 %, Chrysotile 31. %

Other Material: Non-fibrous 64.8 %



117 E. 30th St.

NY, NY 10016

212/679-8600 FAX: 212/679-9392

# PLM Bulk Asbestos Report

JACK EISENBACH ENGINEERING, Date Received

3/5/98

SciLab Job No. 98035425

Date Examined Attn: Jack Eisenbach

3/7/98

P.O. # 8916

Page 3 of 5

291 Genesee Street Utica, NY 13501

RE: 8916; Charlestown; Buildings 5, 7, & 16

Client No. / HGA

Lab No.

Asbestos Present

Total % Asbestos

8916-7-003

98035425-09

No

NAD

Location: 3rd Floor

Description: Grey, Homogeneous, Fiberglass Fitting Insulation

Asbestos Types:

Other Material: Fibrous glass 30. %, Non-fibrous 70. %

8916-7-004

98035425-10

Yes

≤ 1, %

Location: 1st Floor

Description: Grey, Homogeneous, Interior Window Glazing

Asbestos Types: Chrysotile Trace Other Material: Non-fibrous 0.7 %

Comment: PLM Analysis Of NOB Inert Residue

8916-7-005

98035425-11

Yes

2 %

Location: 1st Floor

Description: Grey, Homogeneous, Interior Window Caulking

Asbestos Types: Chrysotile 2.0 % Other Material: Non-fibrous 6.0 %

Comment: PLM Analysis Of NOB Inert Residue

8916-7-006

98035425-12

Yes

57 %

Location: 1st Floor

Description: Grey, Homogeneous, Aircell Insulation

Asbestos Types: Chrysotile 57. %

Other Material: Cellulose 10. %, Non-fibrous 33. %



117 E. 30th St.

NY, NY 10016

212/679-8600 FAX: 212/679-9392

# PLM Bulk Asbestos Report

JACK EISENBACH ENGINEERING. Date Received

3/5/98

SciLab Job No. 98035425

Date Examined

3/7/98

P.O. # 8916 Page 4 of 5

Attn: Jack Eisenbach 291 Genesee Street

Utica, NY 13501

RE: 8916; Charlestown; Buildings 5, 7, & 16

Client No. / HGA

Lab No.

Asbestos Present

Total % Asbestos

8916-7-007

98035425-13

Yes

7.3 %

Location: 1st Floor

Description: Grey, Homogeneous, Ext. Door Caulk

Asbestos Types: Chrysotile 7.3 %

Other Material: Non-fibrous 10.9 %

Comment: PLM Analysis Of NOB Inert Residue

8916-7-008

98035425-14

No

NAD

Location: 1st Floor

Description: Grey, Homogeneous, Door Window Glazing

Asbestos Types:

Other Material: Non-fibrous 8.2 %

Comment: PLM Analysis Of NOB Inert Residue

8916-7-009T

98035425-15

Yes

3.5 %

Location: 1st Floor

Description: Grey, Homogeneous, 9x9 Floor Tile

Asbestos Types: Chrysotile 3.5 %

Other Material: Non-fibrous 30.1 %

Comment: PLM Analysis Of NOB Inert Residue

8916-7-009M

AND THE PROPERTY OF THE PROPER

98035425-16

Nο

NAD

Location: 1st Floor

Description: Black, Homogeneous, 9x9 Floor Tile Mastic

Asbestos Types:

Other Material: Non-fibrous 17.5 %

Comment: PLM Analysis Of NOB Inert Residue



117 E. 30th St.

NY, NY 10016

212/679-8600 FAX: 212/679-9392

# PLM Bulk Asbestos Report

JACK EISENBACH ENGINEERING, Date Received

P.C.

Attn: Jack Eisenbach 291 Genesee Street

Utica, NY 13501

3/5/98

SciLab Job No. 98035425

**Date Examined** 

3/7/98

**P.O.** # 8916

Page 5 of 5

RE: 8916; Charlestown; Buildings 5, 7, & 16

Client No. / HGA

Lab No.

**Asbestos Present** 

**Total % Asbestos** 

8916-7-010

98035425-17

No

NAD

Location: 1st Floor

Description: Silver, Homogeneous, Ext. Window Glazing

Asbestos Types:

Other Material: Non-fibrous 1.9 %

Comment: PLM Analysis Of NOB Inert Residue

Reporting Notes:

Pommi Analyzed by: Bonni Mora \*NAD/NSD = no asbestos detected; NA = not analyzed; NAPS = not analyzed positive stop; Bulk Asbestos Analysis per 40 CFR 763, Subpart F, Appendix A and ELAP Analysis Protocols 198.1/198.4 for NY samples; Note: PLM is not consistently reliable in detecting asbestos in floor coverings and similar non-friable organically bound materials. TEM is currently the only method that can be used to determine if this material can be considered or treated as non-asbestos-containing in NY State (see also EPA Advisory for floor tile, FR 59, 146, 38970, 8/1/94). National Institute of Standards and Technology Accreditation requirements mandate that this report must not be reproduced except in full with the approval of the laboratory. This report relates ONLY to the items tested. ELAP #11480, Vt. Cert.

#AL016055

Reviewed By:

98-03-5425

Client Name:

JACK EISENBACH ENGINEERING, P.C.

# Table I Summary of Bulk Asbestos Analysis Results

8916; Charlestown; Buildings 5, 7, & 16

SciLab Sample #	Client Sample# Location	HG Area	Sample Weight (gram)	Heat Sensitive Organic %	Acid Soluble Inorganic %	Insoluble Non-Asbestos Inorganic %	** Asbestos % by PLM/DS ELAP # 11480	** Asbestos % by TEM ELAP # 11480
01	8916-16-01	,				·	Amosite 13.	NA
	Building #16							
02	8916-16-02		0.51	7.25	92.55	0.20	Anthophyllite Trace	Chrysotile Trace
	Building #16				,			
03	8916-5-001		****			<del></del>	Chrysotile 40.	NA
'	1st Floor Hall							,
04	8916-5-002						Amosite 14.	NA
	1st Floor Hall							
<b>05</b> .	8916-5-003		0.284	10.56	85.56	3.87	NAD	Chrysotile Trace
	1st Floor							•
06	8916-5-004		0.587	25.04	70.53	2.43	Chrysotile <1.	Chrysotile 2.0
•	1st Floor							•
07	8916-7-001		•				NAD	NA
-	1st Floor					•		
08	8916-7-002					<del></del> .	Amosite 4.2	NA
	1st Floor						Chrysotile 31.	1

Reviewed by Paullusle		
Reviewed by:Tallale	TEM analyst: Paul Mucha Pullfulla	
PLM analyst: Bonni Mora;	1211 didity st. 1 dd1 11 dd1111	<del></del>
Quantification should be considered qualitative only (positive or ne	gative) for beginning sample weights of less than 0.1 gram	s. NAD = no asbestos detected; NA = not analyzed; Trace
<1%; NAPS = not analyzed positive stop; Bulk Asbestos Analysis	PLM per 40 CFR 763, Subpt F, Appd A; - TEM by Chr	atfield and ELAP Analysis Protocol PLM-198.1/TEM-198.4 for
New York samples; Note: TEM resolves all asbestos fibers where		
Reviewed Ry		

98-03-5425

Client Name:

JACK EISENBACH ENGINEERING, P.C.

# Table I Summary of Bulk Asbestos Analysis Results 8916; Charlestown; Buildings 5, 7, & 16

SciLab Sample #	Client Sample# Location	HG Area	Sample Weight (gram)	Heat Sensitive Organic %	Acid Soluble Inorganic %	Insoluble Non-Asbestos Inorganic %	** Asbestos % by PLM/DS ELAP # 11480	** Asbestos % by TEM ELAP # 11480
09	8916-7-003					-	NAD	NA
	3rd Floor					•		
10	8916-7-004		0.418	23.44	75.84	0.72	Chrysotile Trace	Chrysotile Trace
	1st Floor							· · · · · · · · · · · · · · · · · · ·
11	8916-7-005		0.538	7.99	84.01	5.99	Chrysotile 2.0	NA
	1st Floor							
12	8916-7-006						Chrysotile 57.	NA
	1st Floor							
13	8916-7-007		0.264	34.47	47.35	10.88	Chrysotile 7.3	NA
	1st Floor							
14	8916-7-008		0.822	26.03	65.69	8.27	NAD	Chrysotile Trace
	1st Floor			•				
15	8916-7-009T		0.11	64.55	3.64	28.32	Chrysotile 3.5	NA
	1st Floor							
16	8916-7-009M		0.297	19.53	62.96	15.51	NAD	Chrysotile 2.0
	1st Floor							

	1			
Reviewed by: Laullue	le .	fauellula		•
PLM analyst: Bonni Mora	; TEM analyst: Paul Mucha	Janemere		
Quantification should be considered qualitative only (	positive or negative) for beginning sample	weights of less than 0.1 grams. NAD	= no asbestos detected; NA = not	analyzed; Trace
<1%; NAPS = not analyzed positive stop; Bulk Asbe				
New York samples; Note: TEM resolves all asbesto				
				-
Reviewed By:	*			

98-03-5425

Client Name:

JACK EISENBACH ENGINEERING, P.C.

# Table I

# Summary of Bulk Asbestos Analysis Results 8916; Charlestown; Buildings 5, 7, & 16

SciLab Sample #	Client Sample# Location	HG Area	Sample Weight (gram)	Heat Sensitive Organic %	Acid Soluble Inorganic %	Insoluble Non-Asbestos Inorganic %	** Asbestos % by PLM/DS ELAP # 11480	** Asbestos % by TEM ELAP # 11480
17	8916-7-010 1st Floor		0.533	47.47	50.66	1.88	NAD	Chrysotile Trace

Reviewed by: 1 Wille	Paulle	J.
PLM analyst: Bonni Mora;	TEM analyst: Paul Mucha	
Quantification should be considered qualitative only (positive or ne	egative) for beginning sample weights of less than 0.1 gram	s. NAD = no asbestos detected; NA = not analyzed; Trace =
<1%; NAPS = not analyzed positive stop; Bulk Asbestos Analysis		
New York samples; Note: TEM resolves all asbestos fibers when		
Daviewed Dv.		



### JACK EISENBACH ENGINEERING, P.C.

291 GENESEE STREET, UTICA, NEW YORK 13501+315+735+1916 + FAX 315+735+6365

CLIENT:	Charlestown	PROJECT #:	89/6
ADDRESS:	Charlestown Buildings 5,6,7,16	DATE(S)	2-2 60 1 2 22
	Building 5,6,7,16	COLLECTED: SAMPLES	3-3-98 + 2-27
		COLLECTED BY:	Tony Scialda / Time
LABORATORY	SCI LAB		
•	TYPE of	ANALYSIS	
ASBES	TOS BULK ASBESTO		LEAD -
PLM Onl			AA NIOSH 7082
TEM Onl	y TEM AHERA	4	
PLM/ TEI	Y	7402	
Required 1	By ELAP /		
	TURNARO	IIND TIME	
		Hour X	OTHER
	CHAIN OF	CUSTODY	
	DD INTERPOLATION OF CONTACTION	A PETITATION	# OF
	PRINTED NAME SIGNATURE	10	DATE SAMPLES
REMITTED BY:	Tony Scialdon Ja	Jee .	3/4/98 37
RECEIVED BY:	Mujardia Leges	- dela	0 3 5 91 37
<del></del>	<del></del>		
REMITTED BY:			
RECEIVED BY:			
			W
REMITTED BY:	· · · · · · · · · · · · · · · · · · ·		
RECEIVED BY:		Linny	· · · · · · · · · · · · · · · · · · ·
	710 720	1215 -1	
PLEASE FAX RES	ults asap to (315 <u>) 735</u> - <u>6</u>	ATTN:	ONT
NOTES:			

98025425



# Jack Eisenbach Engineering, P.C.

291 Genesee Street, Utica, New York 13501 315-735-1916 Fax 315-735-6365

PROJECT: (harlestown-Buildings 5,7 & 16

PROJECT #: 8916

SAMPLE	НОМО	RESULTS		SAMPLE
NUMBER	ID#	(+/-)	MATERIAL SAMPLED	LOCATION
8916-16-01		r	MAG INSULATION	Building #16
-16-02		ľ	DOOR WILLOOW GLAZING	11
8916-15-001			THE THEOLATION - AIRCELL	Int Floor Hall
7-002		F	MAG INSULATION	
7 -003		<u> </u>	INTERIOR WINDOW GLAZING	lut Flon
-)\$-004		r <i>i</i>	EXTERIOR WINDOW GLAZING	v t
	<u> </u>			
				1.0
8916-7-5001			WALL PLASTER	1st Fleo
-J <sub>-2</sub> 005-		<u> </u>	MAG INSULATION	11 m
5-11-003	X		F.G. FITTING INS.	3rd Flon
5-71004		<u></u>	INTERIOR LANGON GLAZING	Jut Flon
5-1-005		<u> F</u>	INTERIOR WINDOW CAULK	
5-7-006			AIRCELL INSULATION	
5-1-001			EXT. DOOR CAULK	
5-10-008	7	n/	DOOR WINDOW GLAZING	
5-17-009	1009M	<u> </u>	9×9 FLOOR TILE /MASTIC	1st Floor
5-1-010		r/	EXT. WINDOW GLAZING	
		<del></del>		
*				
	-			
				<u> </u>
	<del>-  </del>	· .		
·			·	

Samples Collected By:	Tony Scialdone	
Accreditation No:	AH92-13654	98025425
		9803042



117 E. 30th St.

NY, NY 10016

212/679-8600

Fax 212/679-9392

March 9, 1998

JACK EISENBACH ENGINEERING, P.C. Attn: Mr. Eisenbach 291 Genesee Street Utica, NY 13501

RE: JACK EISENBACH ENGINEERING, P.C.

Job Number 98035438

P.O. # 8916 8916; Charlestown

Dear Mr. Eisenbach:

Enclosed are the results of Asbestos Analysis - Bulk Protocol of the following JACK EISENBACH ENGINEERING, P.C. samples, received at Scientific Laboratories on Thursday, March 5, 1998, for a 3 day turnaround:

8916-6-001, 8916-6-002, 8916-6-003, 8916-6-004, 8916-6-005, 8916-6-006, 8916-6-007, 8916-6-008, 8916-6-009, 8916-6-010, 8916-6-011, 8916-6-012, 8916-6-013, 8916-6-014, 8916-6-015, 8916-6-016, 8916-6-017, 8916-6-018, 8916-6-019, 8916-6-020, 8916-6-021

The 21 samples, placed in zip lock bag, were shipped to SciLab via Federal Express. JACK EISENBACH ENGINEERING, P.C. requested ELAP PLM/TEM analysis of these samples.

The results of the analyses performed under ELAP 198.1 & 198.4 guidelines are presented within the Summary Table of this report. The presence of matrix reduction data in the Summary Table normally indicates an NOB sample. For NOB samples the individual matrix reduction and TEM analysis results are listed in the TEM report in the Appendix. Complete PLM results for individual samples are presented in the Appendix of this combined report. This report relates ONLY to sample analysis expressed as percent composition by weight and percent asbestos. This report must not be used to claim product endorsement or approval by these laboratories, NVLAP, ELAP or any other associated agency.

SciLab appreciates this opportunity to serve your organization. Please contact us for any further assistance or with any questions.

Sincerely,

Paul Mucha

Laboratory Supervisor



117 E. 30th St.

NY, NY 10016

212/679-8600 FAX: 212/679-9392

# PLM Bulk Asbestos Report

JACK EISENBACH ENGINEERING, Date Received

P.C.

Attn: Jack Eisenbach 291 Genesee Street Utica, NY 13501

3/5/98

SciLab Job No. 98035438

**Date Examined** 3/7/98

P.O. # 8916

Page 1 of 6

RE: 8916; Charlestown

Client No. / HGA

Lab No.

Asbestos Present

Total % Asbestos

8916-6-001

98035438-01

Yes

28 %

Location: Boiler #2

Description: Grey, Homogeneous, Boiler Packing

Asbestos Types: Chrysotile 28. %

Other Material: Fibrous glass 20. %, Non-fibrous 52. %

8916-6-002

98035438-02

No

NAD

Location: Boiler #2

Description: Red, Homogeneous, Cementitious, Packing Cement

Asbestos Types:

Other Material: Non-fibrous 100. %

8916-6-003

98035438-03

Νo

NAD

Location: Boiler #2

**Description:** Brown, Homogeneous, Cementitious, Fire Brick

Asbestos Types:

Other Material: Non-fibrous 100. %

8916-6-004

98035438-04

No

NAD

Location: Boiler #

Description: Brown, Homogeneous, Cementitious, Boiler Packing

Asbestos Types:

Other Material: Non-fibrous 100. %

8916-6-005

医腹腔畸形 化二十二

98035438-05

Yes

80 %

Location: Boiler #1

Description: Grey, Homogeneous, Gasket

Asbestos Types: Chrysotile 80. % Other Material: Non-fibrous 20. %



117 E. 30th St.

NY, NY 10016

212/679-8600 FAX: 212/679-9392

# PLM Bulk Asbestos Report

JACK EISENBACH ENGINEERING, Date Received

3/5/98

SciLab Job No. 98035438

P.C.

Attn: Jack Eisenbach 291 Genesee Street Utica, NY 13501

**Date Examined** 

3/7/98

P.O. # 8916

Page 2 of 6

RE: 8916; Charlestown

Client No. / HGA

Lab No.

Asbestos Present

**Total % Asbestos** 

8916-6-006

98035438-06

Yes

26.8 %

Location: Boiler Room

Description: Off White, Homogeneous, Pipe Insulation

Asbestos Types: Amosite 22. %, Chrysotile 4.8 %

Other Material: Non-fibrous 73.2 %

8916-6-007

98035438-07

Yes

50 %

Location: Boiler Room

Description: Grey, Homogeneous, Fitting

Asbestos Types: Chrysotile 50. % Other Material: Non-fibrous 50. %

8916-6-008

98035438-08

Yes

44 %

Location: Boiler Room

Description: Grey, Homogeneous, Breeching

Asbestos Types: Chrysotile 44. % Other Material: Non-fibrous 56. %

8916-6-009

+ 50 \$1 pt. 50

98035438-09

No

NAD

Location: Boiler #3

Description: Grey, Homogeneous, Brick Mortar

Asbestos Types:

Other Material: Non-fibrous 86.2 %

Comment: PLM analysis of NOB inert residue



117 E. 30th St.

NY, NY 10016

212/679-8600 FAX: 212/679-9392

# PLM Bulk Asbestos Report

JACK EISENBACH ENGINEERING,

P.C.

291 Genesee Street

Attn: Jack Eisenbach

Utica, NY 13501

Date Received

3/5/98

SciLab Job No. 98035438

Date Examined 3/7/98 P.O. # 8916

Page 3 of 6

RE: 8916; Charlestown

Client No. / HGA

Lab No.

Asbestos Present

Total % Asbestos

8916-6-010

98035438-10

Yes

50 %

Location: Boiler Room

Description: Grey, Homogeneous, Insulation

Asbestos Types: Chrysotile 50. %

Other Material: Non-fibrous 50. %

8916-6-011

98035438-11

Yes

40 %

Location: Back Up Generator Room

Asbestos Types: Chrysotile 40. %

**Description:** Grey, Homogeneous, Pipe Insulation

Other Material: Non-fibrous 60. %

8916-6-012

98035438-12

No

NAD

Location: Backup Generator Room

Description: Grey, Homogeneous, Caulk

Asbestos Types:

Other Material: Non-fibrous 4.3 %

Comment: PLM analysis of NOB inert residue

8916-6-013

William Control of the Control of th

98035438-13

No

NAD

Location: Backup Generator Room

Description: Grey, Homogeneous, Window Glazing

Asbestos Types:

Other Material: Non-fibrous 7.6 %

Comment: PLM analysis of NOB inert residue



117 E. 30th St.

NY, NY 10016

212/679-8600 FAX: 212/679-9392

# PLM Bulk Asbestos Report

JACK EISENBACH ENGINEERING, Date Received

Attn: Jack Eisenbach 291 Genesee Street Utica, NY 13501

**Date Examined** 

3/5/98

SciLab Job No. 98035438

3/7/98

P.O. # 8916

Page 4 of 6

RE: 8916; Charlestown

Client No. / HGA

Lab No.

Asbestos Present

Total % Asbestos

8916-6-014

98035438-14

Yes

2.4 %

Location: Backup Generator Room

Description: Grey, Homogeneous, Caulk

**Asbestos Types:** Chrysotile 2.4 % Other Material: Non-fibrous 3.7 %

Comment: PLM analysis of NOB inert residue

8916-6-015

98035438-15

Yes

36 %

Location: Bathroom

Description: Grey, Homogeneous, Wall Plaster

Asbestos Types: Chrysotile 36. %

Other Material: Cellulose 2. %, Non-fibrous 62. %

8916-6-016

98035438-16

Yes

27.%

Location: Bathroom

Description: Grey, Homogeneous, Ceiling Plaster

Asbestos Types: Chrysotile 27. % Other Material: Non-fibrous 73. %

8916-6-017

98035438-17

No

NAD

Location: Pump Room

Description: Grey, Homogeneous, Cementitious, Wall Plaster

Asbestos Types:

Other Material: Cellulose Trace, Non-fibrous 100. %



117 E. 30th St.

NY, NY 10016

212/679-8600 FAX: 212/679-9392

# **PLM Bulk Asbestos Report**

JACK EISENBACH ENGINEERING, Date Received

Attn: Jack Eisenbach

291 Genesee Street Utica, NY 13501

3/5/98

SciLab Job No. 98035438

Date Examined 3/7/98 P.O. # 8916

Page 5 of 6

RE: 8916; Charlestown

Client No. / HGA

Lab No.

Asbestos Present

Total % Asbestos

8916-6-018

98035438-18

No

**NAD** 

Location: Transformer Room

Description: Grey, Homogeneous, Cementitious, Wall Plaster

Asbestos Types:

Other Material: Non-fibrous 100. %

8916-6-019

98035438-19

No

**NAD** 

Location: Transformer Room

Description: Grey, Homogeneous, Caulk

Asbestos Types:

Other Material: Non-fibrous 61.4 %

Comment: PLM analysis of NOB inert residue

8916-6-020

98035438-20

Yes

2.1 %

Location: Transformer Room

Description: Grey, Homogeneous, Window Glazing

Asbestos Types: Chrysotile 2.1 % Other Material: Non-fibrous 3.8 %

Comment: PLM analysis of NOB inert residue

8916-6-021

**NRMEROSO** - 1

98035438-21

Yes

27 %

Location: Front of Boiler #1

**Description:** Grey, Homogeneous, Boiler Insulation

Asbestos Types: Chrysotile 27. %

Other Material: Fibrous glass 20. %, Non-fibrous 53. %



117 E. 30th St.

NY, NY 10016

212/679-8600 FAX: 212/679-9392

# PLM Bulk Asbestos Report

JACK EISENBACH ENGINEERING,

P.C.

Attn: Jack Eisenbach 291 Genesee Street Utica, NY 13501

Date Received **Date Examined** 

3/5/98 3/7/98 SciLab Job No. 98035438

P.O. # 8916

Page 6 of 6

RE: 8916; Charlestown

**Reporting Notes:** 

Analyzed by: Bonni Mora

\*NAD/NSD = no asbestos detected; NA = not analyzed; NAPS = not analyzed positive stop; Bulk Asbestos Analysis per 40 CFR 763, Subpart F, Appendix A and ELAP Analysis Protocols 198.1/198.4 for NY samples; Note: PLM is not consistently reliable in detecting asbestos in floor coverings and similar non-friable organically bound materials. TEM is currently the only method that can be used to determine if this material can be considered or treated as non-asbestos-containing in NY State (see also EPA Advisory for floor tile, FR 59, 146, 38970, 8/1/94). National Institute of Standards and Technology Accreditation requirements mandate that this report must not be reproduced except in full with the approval of the laboratory. This peport relates ONLY to the items tested. ELAP #11480, Vt. Cert.

#AL016055

Reviewed By:

98-03-5438

Client Name:

JACK EISENBACH ENGINEERING, P.C.

# Table I Summary of Bulk Asbestos Analysis Results 8916; Charlestown

Client Sample# Location	HG Area	Sample Weight (gram)	Heat Sensitive Organic %	Acid Soluble Inorganic %	Insoluble Non-Asbestos Inorganic %	** Asbestos % by PLM/DS ELAP # 11480	** Asbestos % by TEM ELAP # 11480
8916-6-001						Chrysotile 28.	NA
Boiler #2							
8916-6-002			•			NAD	NA
Boiler #2							
8916-6-003						NAD	NA
Boiler #2							•
8916-6-004					<u></u>	NAD	NA
Boiler#							
8916-6-005						Chrysotile 80.	NA
Boiler #1						*	
8916-6-006						Amosite 22.	NA
Boiler Room						Chrysotile 4.8	
8916-6-007				***		Chrysotile 50.	NA
Boiler Room							
8916-6-008						Chrysotile 44.	NA
Boiler Room							
	Sample# Location  8916-6-001  Boiler #2  8916-6-002  Boiler #2  8916-6-003  Boiler #2  8916-6-004  Boiler #  8916-6-005  Boiler #1  8916-6-006  Boiler Room  8916-6-007  Boiler Room  8916-6-008	Sample# Area Location  8916-6-001 Boiler #2 8916-6-002 Boiler #2 8916-6-003 Boiler #2 8916-6-004 Boiler # 8916-6-005 Boiler #1 8916-6-006 Boiler Room 8916-6-007 Boiler Room 8916-6-008	Sample# Location (gram)  8916-6-001  Boiler #2  8916-6-002  Boiler #2  8916-6-003  Boiler #2  8916-6-004  Boiler #  8916-6-005  Boiler #1  8916-6-006  Boiler Room  8916-6-007  Boiler Room  8916-6-008	Sample# Location       Area (gram)       Weight (gram)       Sensitive Organic %         8916-6-001           Boiler #2       8916-6-002           Boiler #2       8916-6-003           Boiler #2       8916-6-004           Boiler #       8916-6-005           Boiler #1       8916-6-006           Boiler Room       8916-6-007           Boiler Room       8916-6-008	Sample# Location       Area (gram)       Weight (gram)       Sensitive (Dranic %)       Soluble Inorganic %         8916-6-001       ————————————————————————————————————	Sample# Location         Area (gram)         Weight (gram)         Sensitive Inorganic %         Non-Asbestos Inorganic %           8916-6-001         ————————————————————————————————————	Sample# Location         Area (gram)         Weight (gram)         Sensitive (norganic % loorganic %

eviewed by:
LM analyst: Bonni Mora; TEM analyst: Louis Lombardi
quantification should be considered qualitative only (positive or negative) for beginning sample weights of less than 0.1 grams. NAD = no asbestos detected; NA = not analyzed; Trace =
1%; NAPS = not analyzed positive stop; Bulk Asbestos Analysis - PLM per 40 CFR 763, Subpt F, Appd A; - TEM by Chatfield and ELAP Analysis Protocol PLM-198.1/TEM-198.4 for
ew York samples; Note: TEM resolves all aspestos fibers whereas PLM typically will not resolve fibers <-0.2 microns in diameter.
eviewed By:
Only by



# SAMPLE LOG

# Jack Eisenbach Engineering, P.C.

291 Genesee Street, Utica, New York 13501 315-735-1916 Fax 315-735-6365

PROJECT: Charlestown-Building 6

PROJECT #: 8916

SAMPLE	НОМО	RESULTS		SAMPLE
NUMBER	ID#	(+/-)	MATERIAL SAMPLED	LOCATION
8914-6-001		1	Boiler Parking	Bailes #2
602		1	Packing Coment	Bailes #2
003		F	Firebruk in boiles	Bailer #2
004		F	Parking in boiler peophole	boiler #2
005		F	Gasket around openings	Boiler #1
006		F	Pipe Population	Bailes Room
००१		F	Fitting	Boiles Coom
<b>200</b>		F	Breeching	Boiler loon
		N	Brick Montas	Bailes #3
010		E .	Heat Exchange Exchange In	sulation Bailer Room
OII		F	May Pipe Intulation	Backup Generator Room
012		7	Interior Wirkow Caulk	Backy Generater Room
013		Ν	Interior Window Glazzine	Back p Generator Room
014		N	Ext. Door Frame Coult	
015		· F	Wall Clatter	Batterson
016		F	Ceiling Platter	. 11
017		F	hall Planter	Pump loom
018		-	Trenite Panel	Transformer Room
019		N	Exterior Window Cault	
020		N	Exterior Window Claying	
021		F	Exterior Window Claying Boiler Parking Insulation	Front of Boile #1
				0
mples Collected	Βv.	Tony Scia	Above (X	W 3698 091

Samples Collected By:	Tony Scialdone	
Accreditation No:	A492-13654	



117 E. 30th St.

NY, NY 10016

212/679-8600


Fax 212/679-9392

March 13, 1998

JACK EISENBACH ENGINEERING, P.C. Attn: Mr. Eisenbach 291 Genesee Street Utica, NY 13501

RE: JACK EISENBACH ENGINEERING, P.C. Job Number 98035893 P.O. # 8916

8916; Charlestown; Building 10 and Transformer Building



Enclosed are the results of Asbestos Analysis - Bulk Protocol of the following JACK EISENBACH ENGINEERING, P.C. samples, received at Scientific Laboratories on Wednesday, March 11, 1998, for a 3 day turnaround:

8916-PR-01, 8916-PR-02, 8916-10-01, 8916-10-02, 8916-10-05, 8916-10-06, 8916-09, 8916-10-10, 8916-10-11, 8916-10-12, 8916-10-13, 8916-10-14, 8916-10-03, 8916-10-07, 8916-10-04, 8916-10-08


The 16 samples, placed in zip lock bag, were shipped to SciLab via Federal Express. JACK EISENBACH ENGINEERING, P.C. requested ELAP PLM/TEM analysis of these samples.

The results of the analyses performed under ELAP 198.1 & 198.4 guidelines are presented within the Summary Table of this report. The presence of matrix reduction data in the Summary Table normally indicates an NOB sample. For NOB samples the individual matrix reduction and TEM analysis results are listed in the TEM report in the Appendix. Complete PLM results for individual samples are presented in the Appendix of this combined report. This report relates ONLY to sample analysis expressed as percent composition by weight and percent asbestos. This report must not be used to claim product endorsement or approval by these laboratories, NVLAP, ELAP or any other associated agency.

SciLab appreciates this opportunity to serve your organization. Please contact us for any further assistance or with any questions.

Jum. 1

Laboratory Supervisor





117 E. 30th St.

NY, NY 10016

212/679-8600 FAX: 212/679-9392

# PLM Bulk Asbestos Report

JACK EISENBACH ENGINEERING, Date Received

P.C.

Attn: Jack Eisenbach 291 Genesee Street Utica, NY 13501

3/11/98

SciLab Job No. 98035893

**Date Examined** 

3/13/98

P.O. # 8916

**ELAP Number** 11480 Page 1 of 5

RE: 8916; Charlestown; Building 10 and Transformer Building

Client No. / HGA

Lab No.

Asbestos Present

Total % Asbestos

8916-PR-01

98035893-01

Yes

≤ 1. %

**Location:** North Transformer Building

**Description:** Grey, Homogeneous, Interior Window Glazing

Asbestos Types: Chrysotile <1. % Other Material: Non-fibrous 5.5 %

Comment: PLM Analysis Of NOB Inert Residue

8916-PR-02

98035893-02

No

NAD

Location: South Transformer Building

Description: Grey, Homogeneous, Wiring

Asbestos Types:

Other Material: Non-fibrous 0.3 %

Comment: PLM Analysis Of NOB Inert Residue

8916-10-01

98035893-03

Yes

 $\leq 1.\%$ 

Location: Second Floor

Description: Grey, Homogeneous, Interior Window Glazing

Asbestos Types: Chrysotile <1. % Other Material: Non-fibrous 8.4 %

Comment: PLM Analysis Of NOB Inert Residue

8916-10-02

98035893-04

No

NAD

Location: Second Floor

**Description:** Grey, Homogeneous, Interior Window Caulking

Asbestos Types:

Other Material: Non-fibrous 13.2 %

Comment: PLM Analysis Of NOB Inert Residue



117 E. 30th St.

NY, NY 10016

212/679-8600 FAX: 212/679-9392

# PLM Bulk Asbestos Report

JACK EISENBACH ENGINEERING. Date Received

P.C.

Attn: Jack Eisenbach 291 Genesee Street

Utica, NY 13501

3/11/98

SciLab Job No. 98035893

**Date Examined** 

3/13/98

P.O. # 8916

**ELAP Number** 

11480

Page 3 of 5

RE: 8916; Charlestown; Building 10 and Transformer Building

Client No. / HGA

Lab No.

Asbestos Present

Total % Asbestos

8916-10-11

98035893-09

Yes

60 %

**Location:** Fourth Floor

Description: White, Homogeneous, Mag Pipe Insulation

Asbestos Types: Amosite 50. %, Chrysotile 10. %

Other Material: Non-fibrous 40. %

8916-10-12

98035893-10

Yes

4.3 %

Location: Exterior Windows

Description: Grey, Homogeneous, Exterior Window Caulking

Asbestos Types: Anthophyllite 1.6 %, Chrysotile 2.7 %

Other Material: Non-fibrous 49.8 %

Comment: PLM Analysis Of NOB Inert Residue

8916-10-13

98035893-11

Yes

≤ 1. %

Location: Exterior Window

**Description:** Grey, Homogeneous, Exterior Window Glazing

Asbestos Types: Chrysotile <1. % Other Material: Non-fibrous 4.4 %

Comment: PLM Analysis Of NOB Inert Residue

8916-10-14

98035893-12

Yes

8 %

Location: Exterior Door Caulking

Description: Grey, Homogeneous, Caulking

Asbestos Types: Anthophyllite 5. %, Chrysotile 3. %

Other Material: Non-fibrous 42.5 %

Comment: PLM Analysis Of NOB Inert Residue



117 E. 30th St.

NY, NY 10016

212/679-8600 FAX: 212/679-9392

## PLM Bulk Asbestos Report

JACK EISENBACH ENGINEERING, Date Received

P.C.

Attn: Jack Eisenbach 291 Genesee Street

Utica, NY 13501

3/11/98

SciLab Job No. 98035893

Date Examined **ELAP Number** 

3/13/98

**P.O.** # 8916

11480

Page 4 of 5

RE: 8916; Charlestown; Building 10 and Transformer Building

Client No. / HGA

Lab No.

Asbestos Present

Total % Asbestos

8916-10-03

98035893-13

No

NAD

Location: Second Floor

Description: Off White, Homogeneous, Sheetrock

**Asbestos Types:** 

Other Material: Cellulose 10. %, Fibrous glass 3. %, Non-fibrous 87. %

8916-10-07

98035893-14

No

NAD

1

**Location:** Third Floor

Description: Off White, Homogeneous, Sheetrock

Asbestos Types:

Other Material: Cellulose 20. %, Non-fibrous 80. %

8916-10-04

98035893-15

No

NAD

2

Location: Second Floor

Description: Off White, Homogeneous, Joint Compound

Asbestos Types:

Other Material: Cellulose 30. %, Non-fibrous 70. %

8916-10-08

98035893-16

No

NAD

2

Location: Third Floor

Description: Off White, Homogeneous, Joint Compound

Asbestos Types:

Other Material: Cellulose Trace, Non-fibrous 100. %



117 E. 30th St.

NY, NY 10016

212/679-8600 FAX: 212/679-9392

## PLM Bulk Asbestos Report

JACK EISENBACH ENGINEERING,

P.C.

Attn: Jack Eisenbach 291 Genesee Street Utica, NY 13501 Date Received

3/11/98

SciLab Job No. 98035893

Date Examined

3/13/98

P.O. # 8916

ELAP Number

11480

Page 5 of 5

RE: 8916; Charlestown; Building 10 and Transformer Building

Reporting Notes:

Analyzed by: Bella Chernis

\*NAD/NSD = no asbestos detected; NA = not analyzed; NAPS = not analyzed positive stop; Bulk Asbestos Analysis per 40 CFR 763, Subpart F, Appendix A and ELAP Analysis Protocols 198.1/198.4 for NY samples; Note: PLM is not consistently reliable in detecting asbestos in floor coverings and similar non-friable organically bound materials. TEM is currently the only method that can be used to determine if this material can be considered or treated as non-asbestos-containing in NY State (see also EPA Advisory for floor tile, FR 59, 146, 38970, 8/1/94). National Institute of Standards and Technology accreditation requirements mandate that this report must not be reproduced except in full with the approval of the laboratory. This report relates ONLY to the items tested. ELAP #11480, Vt. Cert. #AL016055

Reviewed By:

SciLab Job#:

98-03-5893

Client Name:

JACK EISENBACH ENGINEERING, P.C.

## Table I Summary of Bulk Asbestos Analysis Results 8916; Charlestown; Building 10 and Transformer Building

SciLab Sample #	Client Sample# Location	HG Area	Sample Weight (gram)	Heat Sensitive Organic %	Acid Soluble Inorganic %	Insoluble Non-Asbestos Inorganic %	** Asbestos % by PLM/DS ELAP # 11480	** Asbestos % by TEM ELAP # 11480
01	8916-PR-01		0.381	17.32	77.17	3.51	Chrysotile <1.	Chrysotile 2.0
	North Transformer Building	5	,					Cin j botho 2.0
02	8916-PR-02		0.271	98.15	1.48	0.37	NAD	NAD
	South Transformer Building	3						111115
03	8916-10-01		0.284	22.18	69.37	6.45	Chrysotile <1.	Chrysotile 2.0
	Second Floor					*		Omyoomo 2.0
04	8916-10-02		0.325	15.38	71.38	13.23	NAD	NAD
•	Second Floor					•		11 22
05	8916-10-05		0.407	12.78	80.34	3.88	Chrysotile <1.	Chrysotile 3.0
	Third Floor						<b>y</b>	
. 06	8916-10-06		0.338	8.88	85.21	2.92	Chrysotile <1.	Chrysotile 3.0
,	Third Floor					•	<b>,</b>	Anthophyllite Trace
07	8916-09		·		·	· 	Chrysotile 57.	NA
4	Fourth Floor			•		•	•	
80	8916-10-10				e->		NAD	NA
	Fourth Floor				•	•	•	•

Reviewed by:		1 11	. ,	
PLM analyst: Bella Chernis	TEM analyst; Louis L	ombardi Kou Kelsey	S	
Quantification should be considered qualitative on	ly (positive or negative) for beginning sampl	le weights of less than 0.1 grams. NA	AD = no asbestos detected:	NA = not analyzed: Trace :
<1%; NAPS = not analyzed positive stop; Bulk A	sbestos Analysis - PLM per 40 CFR 763, S	Subpt F. Appd A: - TEM by Chatfield at	nd ELAP Analysis Protocol	PLM-198.1/TEM-198.4 for
New York samples; Note: TEM_resolver all ash	estos fibers whereas PLM typically will not	resolve fibers <~0.2 microns in diamet	er.	
Reviewed By Kanel Visching	Λ			

SciLab Job#:

98-03-5893

Client Name:

JACK EISENBACH ENGINEERING, P.C.

## Table I Summary of Bulk Asbestos Analysis Results 8916; Charlestown; Building 10 and Transformer Building

						•		N
SciLab Sample #	Client Sample# Location	HG Area	Sample Weight (gram)	Heat Sensitive Organic %	Acid Soluble Inorganic %	Insoluble Non-Asbestos Inorganic %	** Asbestos % by PLM/DS ELAP # 11480	** Asbestos % by TEM ELAP # 11480
09	8916-10-11	•		*****		magnatum my	Amosite 50.	NA :
•	Fourth Floor		,				Chrysotile 10.	
10	8916-10-12	٠,	0.336	16.07	29.76	49.87	Anthophyllite 1.6	NA
•	Exterior Windows						Chrysotile 2.7	
11	8916-10-13		0.516	23.64	71.90	1.46	Chrysotile <1.	Chrysotile 3.0
	Exterior Window						· ·	Omysome 5.0
12	8916-10-14		0.501	33.53	15.97	42.50	Anthophyllite 5.	NA
	Exterior Door Caulking					· · · · · · · · · · · · · · · · · · ·	Chrysotile 3.	
13	8916-10-03	• 1					NAD	NA
	Second Floor							- <del></del> .
14	8916-10-07	1			====		NAD	NA
	Third Floor							414.4
15	8916-10-04	2			· ·		NAD	NA
	Second Floor							
16	8916-10-08	2			*****	·	NAD	NA
	Third Floor						<del>-                                    </del>	± 1± ±

Reviewed by:		<u> </u>	a . :	
PLM analyst: Bella Chernis	: TEM analyst: Louis Lom	bardi Kan Kerli	ah .	
Quantification should be considered qualitative or	aly (positive or negative) for beginning sample w	veights of less than 0.1 grams.	NAD = no asbestos detected:	NA = not analyzed: Trace =
<1%; NAPS = not analyzed positive stop; Bull A	Asbestos Analysis - PLM per 40 CFR 763. Sub-	pt F. Appd A: - TEM by Chatfie	ld and ELAP Analysis Protoco	1 PLM-198.1/TEM-198.4 for
New York samples: TEM resolves all ast	pestosyfibers whereas PLM typically will not res	olve fibers <~0.2 microns in dia	meter.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Reviewed By: Kanel Kueling	y .			



# ACK EISENBACH ENGINEERING, P.C. 291 GENESEE STREET, UTICA, NEW YORK 13501+315+735+1916 + FAX 315+735-6365

			·		
CLIENT:	Charlestown		PROJECT #:	8916	
ADDRESS:			DATE(S)		
			COLLECTED:	3-10-98	
			SAMPLES	T ( )	
			COLLECTED BY:	TOUY SCIALPONE	
LABORATORY:	SCILAB	· · · · · · · · · · · · · · · · · · ·		•	
		TYPE of A	<u>NALYSIS</u>	•	•
ASBEST	OS BULK	ASBESTOS	SAIR	LEAD .	
PLM Only		PCM		AA NIOSH 7082	
TEM Only		TEM AHERA			
PLM/ TEM	As 🗸	TEM NIOSH 7	7402		
Required B	y ELAP	,	<del></del>		
				·	
		TURNAROL	IND TIME/		
	RUSH	72 H	lour 🗶	OTHER	
		CHAIN OF	<u>CUSTODY</u>		
				# OF	
,	PRINTED NAME	SIGNATURE	AFFILIATION	DATE SAMPLES	
REMITTED BY:	Tony Scialdon	The sale	JEE	3/10/97 27 16	
RECEIVED BY: /	AVNOLINALI	toxon (	SU Lacilo	b 3/11/98 1345	(
RECEIVED B1.	- Stocker (Chief	77			
			<u></u>		
REMITTED BY:		• )	•		
					•
RECEIVED BY:					
				=================================	
DEL GEREL DAG	•				
REMITTED BY:					÷
RECEIVED BY:					
·				To the	
PLEASE FAX RES	ULTS ASAP TO (🤼	5) <u>/35</u> -6	365 <u>,</u> attn:	1011	
			ş		
NOTES: $\rho_{\Omega}$	A Him IT	11 M	·		
Thea	re dopositive ita	7 D T	∧n		
Ja	mple #3 8916	-10-03, 10-1	υ <i>1</i>		
		and			
•	can	-10-04, 10	1-08		



SAMPLE LOG

#### Jack Eisenbach Engineering, P.C.

291 Genesee Street, Utica, New York 13501 315-735-1916 Fax 315-735-6365


PROJECT: Charlestown - building 10 + Transformer Bldgs.

PROJECT #: 8916

positive Stop

			<u> </u>	
SAMPLE	НОМО	RESULTS		SAMPLE
NUMBER	ID#	(+/-)	MATERIAL SAMPLED	LOCATION
8916-PR-C1	1	+ 11	INTERIOR WILLOW GLAZING	NORTH TRANSFORMER BUTS.
PR-02		<del>-</del> γ	WIRING	South # 11
8916-10-01		+ //	INT. WILTON GLAZING	Second Har
10-02		<u> </u>	INT. WINDOW CANK	31
10-05		<b>キ</b> り	INT WINDOW GLAZING	Third Hoor
10-06		+ 1/	JUT WINTON CAUK	(C)
10-09		+	FITTIVE	Fourth Floor
10-10			CEILING TILE (ZXY NROP)	70
10-11		+	MAG PIPE INSULATION	(ζ
1672		+ W	EXT. WINDOW CAULK	
10-13		+ N	EXT. WINTON GLAZING	
¥ 10-14		4 W	EXT. depos now caulk	
8416-10-03			SHEETROCK	Second Floor
07		_	11	So. Third Floor
				* .
8916-10-04		_	JOINT COMPOUND	Second Floor
		-	11 57	Third Floor
			·	
	*			
				·
1				

Samples Collected By:	Tony Schildan	
Accreditation No:	AH92-13654	· · · · · · · · · · · · · · · · · · ·





#### SCIENTIFIC LABORATORIES, INC.

117 E. 30th St.

NY, NY 10016

212/679-8600

Fax 212/679-9392

March 2, 1998

JACK EISENBACH ENGINEERING, P.C. Attn: Mr. Eisenbach 291 Genesee Street Utica, NY 13501

RE: JACK EISENBACH ENGINEERING, P.C. Job Number 98026848 P.O. # 8916 8916; Charlestown; Building #11

Dear Mr. Eisenbach:

Enclosed are the results of Asbestos Analysis - Bulk Protocol of the following JACK EISENBACH ENGINEERING, P.C. samples, received at Scientific Laboratories on Saturday, February 28, 1998, for a 3 day turnaround:

8916-11-001, 8916-11-002, 8916-11-005, 8916-11-005B, 8916-11-006, 8916-11-007, 8916-11-008, 8916-11-009, 8916-11-010, 8916-11-011, 8916-11-012, 8916-11-013, 8916-11-014, 8916-11-015, 8916-11-017, 8916-11-003, 8916-11-016, 8916-11-018, 8916-11-004, 8916-11-023, 8916-11-022, 8916-11-019, 8916-11-025

The 23 samples, placed in zip lock bag, were shipped to SciLab via Federal Express. JACK EISENBACH ENGINEERING, P.C. requested ELAP PLM/TEM analysis of these samples.

The results of the analyses performed under ELAP 198.1 & 198.4 guidelines are presented within the Summary Table of this report. The presence of matrix reduction data in the Summary Table normally indicates an NOB sample. For NOB samples the individual matrix reduction and TEM analysis results are listed in the TEM report in the Appendix. Complete PLM results for individual samples are presented in the Appendix of this combined report. This report relates ONLY to sample analysis expressed as percent composition by weight and percent asbestos. This report must not be used to claim product endorsement or approval by these laboratories, NVLAP, ELAP or any other associated agency.

SciLab appreciates this opportunity to serve your organization. Please contact us for any further assistance or with any questions.

Sincerely,

Paul Mucha

Laboratory Supervisor



117 E. 30th St.

NY, NY 10016

212/679-8600 FAX: 212/679-9392

## PLM Bulk Asbestos Report

JACK EISENBACH ENGINEERING, Date Received

Attn: Jack Eisenbach 291 Genesee Street Utica, NY 13501

2/28/98

SciLab Job No. 98026848

Date Examined ELAP Number

3/2/98

P.O. # 8916

11480

Page 1 of 6

RE: 8916; Charlestown; Building #11

Client No. / HGA

Lab No.

Asbestos Present

Total % Asbestos

8916-11-001

98026848-01

Yes

33 %

Location: Welding Equipment Room

**Description:** Grey, Homogeneous, Cementitious, Transite

Asbestos Types: Chrysotile 33. % Other Material: Non-fibrous 67. %

8916-11-002

98026848-02

No

NAD

Location: Welding Equipment Room

Description: Black/Tan, Homogeneous, Cementitious, Fire Brick

Asbestos Types:

Other Material: Non-fibrous 100. %

8916-11-005

98026848-03

Yes

6.5 %

Location: Boat Storage

Description: Green, Homogeneous, Cementitious, 9x9 Floor Tile

Asbestos Types: Chrysotile 6.5 % Other Material: Non-fibrous 11.5 %

Comment: PLM Analysis Of NOB Inert Residue

8916-11-005B

g Nagringer en dregelijker in tomes.

98026848-04

No

NAD

Location: Boat Storage

Description: Black, Homogeneous, Mastic

Asbestos Types:

Other Material: Non-fibrous 38. %

Comment: PLM Analysis Of NOB Inert Residue



117 E. 30th St.

NY, NY 10016

212/679-8600 FAX: 212/679-9392

## PLM Bulk Asbestos Report

JACK EISENBACH ENGINEERING. Date Received

P.C.

Attn: Jack Eisenbach 291 Genesee Street

Utica, NY 13501

**ELAP Number** 

2/28/98

SciLab Job No. 98026848

Date Examined

3/2/98

P.O. # 8916

11480

Page 3 of 6

RE: 8916; Charlestown; Building #11

Client No. / HGA

Lab No.

Asbestos Present

Total % Asbestos

8916-11-010

98026848-09

Yes

≤ 1. %

Location: Large Equip Storage

Description: Grey, Homogeneous, Cementitious, Window Glazing

Asbestos Types: Chrysotile <1. % Other Material: Non-fibrous 5.1 %

Comment: PLM Analysis Of NOB Inert Residue

8916-11-011

98026848-10

Yes

29 %

Location: Large Equip Storage

Description: Black, Homogeneous, Cementitious, Transite

Asbestos Types: Chrysotile 29. % Other Material: Non-fibrous 71. %

8916-11-012

98026848-11

No

NAD

Location: Boat Storage

Description: Grey, Homogeneous, Cementitious, Fitting

Asbestos Types:

Other Material: Cellulose 1. %, Fibrous glass 30. %, Non-fibrous 69. %

8916-11-013

to the table of the control of the

98026848-12

Yes

2.6 %

Location: Outside

Description: Off White, Homogeneous, Cementitious, Window Glazing

Asbestos Types: Amosite 2.6 % Other Material: Non-fibrous 19.2 %

Comment: PLM Analysis Of NOB Inert Residue



117 E. 30th St.

NY, NY 10016

212/679-8600 FAX: 212/679-9392

## PLM Bulk Asbestos Report

JACK EISENBACH ENGINEERING, Date Received

P.C.

Attn: Jack Eisenbach 291 Genesee Street

Utica, NY 13501

**Date Examined** 

**ELAP Number** 

2/28/98

SciLab Job No. 98026848

3/2/98

11480

P.O. # 8916

Page 4 of 6

RE: 8916; Charlestown; Building #11

Client No. / HGA

Lab No.

Asbestos Present

Total % Asbestos

8916-11-014

98026848-13

Yes

4%

Location: Outside

Description: Grey, Homogeneous, Window Caulking

Asbestos Types: Chrysotile 4. % Other Material: Non-fibrous 6.3 %

Comment: PLM Analysis Of NOB Inert Residue

8916-11-015

98026848-14

Yes

≤ 1. %

**Location:** Outside Car Stor Entrance

Description: Grey, Homogeneous, Caulk

Asbestos Types: Chrysotile <1. % Other Material: Non-fibrous 3.6 %

Comment: PLM Analysis Of NOB Inert Residue

8916-11-017

98026848-15

Yes

50 %

**Location:** Outside Car Stor. Entrance

**Description:** Grey, Homogeneous, Cementitious, Exterior Fitting

Asbestos Types: Chrysotile 50. % Other Material: Non-fibrous 50. %

8916-11-003

98026848-16

No

NAD

Α

Location: Welding Room

Description: Brown/Off White, Heterogeneous, Cementitious, Sheetrock

Asbestos Types:

Other Material: Cellulose 10. %, Fibrous glass 5. %, Non-fibrous 85. %



117 E. 30th St.

NY NY 10016

212/679-8600 FAX: 212/679-9392

## PLM Bulk Asbestos Report

JACK EISENBACH ENGINEERING, Date Received

Attn: Jack Eisenbach 291 Genesee Street

Utica, NY 13501

2/28/98

SciLab Job No. 98026848

Date Examined **ELAP Number** 

3/2/98 11480

**P.O.** # 8916

Page 5 of 6

RE: 8916; Charlestown; Building #11

Client No. / HGA

Lab No.

Asbestos Present

Total % Asbestos

8916-11-016

98026848-17

No

NAD

Α

Location: Room Off Car Storage

Description: Brown/Off White, Heterogeneous, Cementitious, Sheetrock

Asbestos Types:

Other Material: Cellulose 10. %, Fibrous glass 5. %, Non-fibrous 85. %

8916-11-018

98026848-18

No

NAD

Α

Location: Hall

Description: Brown/Off White, Heterogeneous, Cementitious, Sheetrock

Asbestos Types:

Other Material: Cellulose 10. %, Fibrous glass 5. %, Non-fibrous 85. %

8916-11-004

98026848-19

No

NAD

В

**Location:** Car Storage

Description: White, Homogeneous, Cementitious, Joint Compound

**Asbestos Types:** 

Other Material: Non-fibrous 100. %

8916-11-023

98026848-20

No

NAD

В

Location: Car Storage

Description: White, Homogeneous, Cementitious, Joint Compound

Asbestos Types:

Other Material: Non-fibrous 100. %

8916-11-022

98026848-21

No

NAD

В

からのおおりを見る時間を打造するとなっている。

Location: Hallway

Description: White, Homogeneous, Cementitious, Joint Compound

Asbestos Types:

Other Material: Non-fibrous 100. %



### JACK EISENBACH EN

291 GENESEE STREET, UTICA, NEW YORK 13501 - 315-735-1916 - FAX 315-735-6365 CALMAN8916 CLIENT: CHARLESTANN PROJECT #: ADDRESS: DATE(S) BOILDING \$11 2-27-98 COLLECTED: SAMPLES Tony Scialdar / Jim Wheeler COLLECTED BY: LABORATORY: \_SOL LAB TYPE of ANALYSIS ASBESTOS BULK ASBESTOS AIR LEAD PLM Only **PCM** AA NIOSH 7082 TEM AHERA TEM Only PLM/ TEM As TEM NIOSH 7402 Required By ELAP TURNAROUND TIME RUSH 72 Hour OTHER CHAIN OF CUSTODY #OF DATE SAMPLES **AFFILIATION** PRINTED NAME REMITTED BY: long Scialene RECEIVED BY: REMITTED BY: RECEIVED BY: REMITTED BY: RECEIVED BY: PLEASE FAX RESULTS ASAP TO (315) 735 - 6365, ATTN: TONY NOTES: Please do pontive rtops as indicated our sample log 8916-003, 016, 018 } Positive Styre Sample #" 8916-003, 016, 018

8916-019, 025



Jack Eisenbach Engineering, P.C.

291 Genesee Street, Utica, New York 13501 315-735-1916 Fax 315-735-6365

PROJECT: Charlestown - Building #11

SAMPLE LOG

2/24/98

PROJECT #: 8916

						_
	SAMPLE	НОМО	RESULTS		SAMPLE	
	NUMBER	ID#	(+/-)	MATERIAL SAMPLED	LOCATION	
	8916-11-001			TRAUSITE TABLES	Walding Equipment Room	] .
,	002		-	FIREBRICK	Welling Equipment Room	] •
	005	1005 in	N >	9×9 FLOOR TILE / MASTIC	Boat Storage	]
	006		:	VAPOR BARRIER	Brat Storage	
	007		\$ 7	PIPE INSULATION	Boat Storage	
)	008		N,	F.G. FLOORING	Large Equip. Storage	
5	009 100			WINDOW CAULK	i,	
•	010		ې	WINDOW GLAZING	1)	
,	01) (3)		Ţ.	TRANSITE TABLE	11	
	012		F	FITTING-	Boat Storage	
?	Ø13		×	EXTERIOR WINDOW CHASING	Outside	
-	014		12	EXTERIOR LINDOW CAULK	Outside	
1	015		7,	DOOR FRAME CAULK	Outside - Carston Entrence	
2	017			EXTERIOR FITTING	11	
						کر :
_	003	<del></del>		SHEETROCK	Litelding Roam	2 POSITIVE STOP
٠	016				from of car storage	( 210,
	018		Ĺ.	. "	Hall	J
ŀ						7
	004		F	JOINT COMPOUND	Can Storage	& POSITIVE STOP
-	023			. I	Can Storage	STOP
, }	022				Hallway	J
}					.1	7
<u> </u>	019		<u> </u>	CONCRETE CEILING	Hannibal Storage Hannibal Office	3 POSITIVES
7	025		- :	11	Hammbel Office	,
-						
$\perp$						
L						

Samples Collected By:
-----------------------

Accreditation No:

Tony Scialdone AHOZ-13654

MAR



#### SCIENTIFIC LABORATORIES, INC.

117 E. 30th St.

NY, NY 10016

212/679-8600

Fax 212/679-9392

March 9, 1998


JACK EISENBACH ENGINEERING, P.C. Attn: Mr. Eisenbach 291 Genesee Street Utica, NY 13501

RE: JACK EISENBACH ENGINEERING, P.C. Job Number 98035499

P.O. # 8916

8916; Charlestown; Building #12

Dear Mr. Eisenbach:



8916-12-001, 8916-12-002, 8916-12-003, 8916-12-004, 8916-12-005, 8916-12-006, 8916-12-007, 8916-12-008, 8916-12-009, 8916-12-010, 8916-12-011, 8916-12-012, 8916-12-013, 8916-12-014, 8916-12-015, 8916-12-016, 8916-12-017, 8916-12-018

The 18 samples, placed in zip lock bag, were shipped to SciLab via Federal Express. JACK EISENBACH ENGINEERING, P.C. requested ELAP PLM/TEM analysis of these samples.

The results of the analyses performed under ELAP 198.1 & 198.4 guidelines are presented within the Summary Table of this report. The presence of matrix reduction data in the Summary Table normally indicates an NOB sample. For NOB samples the individual matrix reduction and TEM analysis results are listed in the TEM report in the Appendix. Complete PLM results for individual samples are presented in the Appendix of this combined report. This report relates ONLY to sample analysis expressed as percent composition by weight and percent asbestos. This report must not be used to claim product endorsement or approval by these laboratories, NVLAP, ELAP or any other associated agency.

SciLab appreciates this opportunity to serve your organization. Please contact us for any further assistance or with any questions.

Sincerely,

Paul Mucha

CONTRACTOR OF THE PROPERTY OF

Laboratory Supervisor



117 E. 30th St.

NY, NY 10016

212/679-8600 FAX: 212/679-9392

## PLM Bulk Asbestos Report

JACK EISENBACH ENGINEERING, Date Received

Attn: Jack Eisenbach 291 Genesee Street

Utica, NY 13501

3/6/98

SciLab Job No. 98035499

Date Examined ELAP Number

3/8/98

P.O. # 8916

11480

Page 1 of 5

RE: 8916; Charlestown; Building #12

Client No. / HGA

Lab No.

Asbestos Present

Total % Asbestos

8916-12-001

98035499-01

Yes

≤ 1. %

Location: Charlie G Bar

Description: White, Homogeneous, Interior Window Glazing

Asbestos Types: Tremolite <1. % Other Material: Non-fibrous <30. %

Comment: PLM analysis of NOB inert residue

8916-12-002

98035499-02

No

**NAD** 

Location: Charlie G Bar

Description: Off White, Homogeneous, Interior Window Caulking

Asbestos Types:

Other Material: Non-fibrous 64. %

Comment: PLM analysis of NOB inert residue

8916-12-003

98035499-03

Yes

31 %

Location: Charlie G Bar-Office

Description: Grey, Homogeneous, Aircell Insulation

Asbestos Types: Chrysotile 31. %

Other Material: Cellulose 30. %, Non-fibrous 39. %

8916-12-004

98035499-04

No

NAD

Location: Charlie G Bar-Kitchen

**Description:** White, Homogeneous, Joint Compound

Asbestos Types:

Other Material: Non-fibrous 100. %



117 E. 30th St.

NY, NY 10016

212/679-8600 FAX: 212/679-9392

## PLM Bulk Asbestos Report

JACK EISENBACH ENGINEERING,

P.C.

Attn: Jack Eisenbach

291 Genesee Street

Utica, NY 13501

Date Received

3/6/98

SciLab Job No. 98035499

**Date Examined** 

3/8/98

**P.O.** # 8916

**ELAP Number** 

11480

Page 2 of 5

**RE:** 8916; Charlestown; Building #12

Client No. / HGA

Lab No.

Asbestos Present

Total % Asbestos

8916-12-005

98035499-05

No

NAD

Location: Charlie G Bar-Kitchen

**Description:** Brown/Off White, Homogeneous, Sheetrock

Asbestos Types:

Other Material: Cellulose 10. %, Fibrous glass 10. %, Non-fibrous 80. %

8916-12-006

98035499-06

No

**NAD** 

Location: Charlie G Bar-Office

Description: White, Homogeneous, Joint Compound

Asbestos Types:

Other Material: Non-fibrous 100. %

8916-12-007

98035499-07

Nο

NAD

Location: Charlie G Bar-Office

**Description:** Brown/Off White, Homogeneous, Sheetrock

Asbestos Types:

Other Material: Cellulose 15. %, Non-fibrous 85. %

8916-12-008

98035499-08

Yes

5 %

Location: Charlie G's Dining Rm.

Description: Grey, Homogeneous, Exterior Window Caulking

Asbestos Types: Chrysotile 5. % Other Material: Non-fibrous 15. %

Comment: PLM analysis of NOB inert residue



117 E. 30th St.

NY, NY 10016

212/679-8600 FAX: 212/679-9392

## **PLM Bulk Asbestos Report**

JACK EISENBACH ENGINEERING,

P.C.

Attn: Jack Eisenbach 291 Genesee Street Utica, NY 13501 Date Received

3/6/98

SciLab Job No. 98035499

Date Examined

3/8/98

**P.O.** # 8916

**ELAP Number** 

11480

Page 3 of 5

RE: 8916; Charlestown; Building #12

Client No. / HGA

Lab No.

**Asbestos Present** 

Total % Asbestos

8916-12-009

98035499-09

Yes

2.8 %

Location: Charlie G's Dining Rm.

Description: Off White, Homogeneous, Exterior Window Glazing

Asbestos Types: Chrysotile 2.8 % Other Material: Non-fibrous 5.6 %

Comment: PLM analysis of NOB inert residue

8916-12-010

98035499-10

Yes

57 %

Location: Bar

Description: Grey, Homogeneous, Packing Material Lights

Asbestos Types: Chrysotile 57. % Other Material: Non-fibrous 43. %

8916-12-011

98035499-11

No

NAD

Location: 4th Flr.

Description: Off White, Homogeneous, Interior Window Glazing.

Asbestos Types:

Other Material: Non-fibrous 9.2 %

Comment: PLM analysis of NOB inert residue

8916-12-012

98035499-12

Yes

1.8 %

Location: 4th Flr.

Description: Off White, Homogeneous, Interior Window Caulking

Asbestos Types: Chrysotile 1.8 % Other Material: Non-fibrous 2.2 %

Comment: PLM analysis of NOB inert residue



117 E. 30th St.

NY, NY 10016

212/679-8600 FAX: 212/679-9392

## PLM Bulk Asbestos Report

JACK EISENBACH ENGINEERING,

P.C.

Attn: Jack Eisenbach 291 Genesee Street Utica, NY 13501

Date Received

3/6/98

SciLab Job No. 98035499

**Date Examined** 3/8/98

P.O. # 8916

**ELAP Number** 

11480

Page 4 of 5

RE: 8916; Charlestown; Building #12

Client No. / HGA

Lab No.

Asbestos Present

Total % Asbestos

8916-12-013

98035499-13

Yes

66 %

Location: Middle/4th Flr.

**Description:** Grey, Homogeneous, Fitting Insulation

Asbestos Types: Chrysotile 66. % Other Material: Non-fibrous 44. %

8916-12-014

98035499-14

No

NAD

Location: 4th Flr.

Description: Brown/Off White, Homogeneous, Sheetrock

Asbestos Types:

Other Material: Cellulose 10. %, Fibrous glass 10. %, Non-fibrous 80. %

8916-12-015

98035499-15

No

NAD

Location: 4th Flr.

**Description:** Grey, Homogeneous, 2x4 Ceiling Tile

Asbestos Types:

Other Material: Cellulose 30. %, Fibrous glass 40. %, Non-fibrous 30. %

8916-12-016

98035499-16

Yes

6.8 %

Location: 1st Flr.

**Description:** Grey, Homogeneous, Exterior Door Caulking

Asbestos Types: Chrysotile 6.8 % Other Material: Non-fibrous 25.2 %

Comment: PLM analysis of NOB inert residue



117 E. 30th St.

NY, NY 10016

212/679-8600 FAX: 212/679-9392

## PLM Bulk Asbestos Report

JACK EISENBACH ENGINEERING,

P.C.

Attn: Jack Eisenbach 291 Genesee Street

Utica, NY 13501

Date Received

3/6/98

SciLab Job No. 98035499

Date Examined

3/8/98

**P.O.** # 8916

ELAP Number 11480

80

Page 5 of 5

**RE:** 8916; Charlestown; Building #12

Client No. / HGA

Lab No.

Asbestos Present

**Total % Asbestos** 

8916-12-017

98035499-17

Yes

8.1 %

Location: 1st Flr.

Description: Grey, Homogeneous, Exterior Window Caulking

Asbestos Types: Chrysotile 8.1 % Other Material: Non-fibrous 17.9 %

Comment: PLM analysis of NOB inert residue

8916-12-018

98035499-18

Yes

1.4 %

Location: 1st Flr.

Description: Grey, Homogeneous, Exterior Window Glazing

Asbestos Types: Chrysotile 1.4 % Other Material: Non-fibrous 1.7 %

Comment: PLM analysis of NOB inert residue

#### Reporting Notes:

Reviewed By:

\$**359\$\$\$** 

Analyzed by: John Curulli\_

\*NAD/NSD = no asbestos detected; NA = not analyzed; NAPS = not analyzed positive stop; Bulk Asbestos Analysis per 40 CFR 763, Subpart F, Appendix A and ELAP Analysis Protocols 198.1/198.4 for NY samples; Note: PLM is not consistently reliable in detecting asbestos in floor coverings and similar non-friable organically bound materials. TEM is currently the only method that can be used to determine if this material can be considered or treated as non-asbestos-containing in NY State (see also EPA Advisory for floor tile, FR 59, 146, 38970, 8/1/94). National Institute of Standards and Technology Accreditation requirements mandate that this report must not be reproduced except in full with the approval of the laboratory. This report relates ONLY to the items tested. ELAP #11480, Vt. Cert. #AL016055

SciLab Job#:

98-03-5499

Client Name:

JACK EISENBACH ENGINEERING, P.C.

# Table I Summary of Bulk Asbestos Analysis Results

8916; Charlestown; Building #12

SciLab Sample #	Client Sample# Location	HG Area	Sample Weight (gram)	Heat Sensitive Organic %	Acid Soluble Inorganic %	Insoluble Non-Asbestos Inorganic %	** Asbestos % by PLM/DS ELAP # 11480	** Asbestos % by TEM ELAP # 11480
01	8916-12-001		1.128	12.77	56.21	25.03	Tremolite <1.	Tremolite 6.0
	Charlie G Bar					•		
02	8916-12-002		0.932	7.51	28.76	63.73	NAD	NAD
	Charlie G Bar							
03	8916-12-003						Chrysotile 31.	NA
	Charlie G Bar-Office							
04	8916-12-004						NAD	NA
	Charlie G Bar-Kitchen							
05	8916-12-005						NAD	NA
	Charlie G Bar-Kitchen							
06	8916-12-006					<del></del>	NAD	NA
	Charlie G Bar-Office							
07	8916-12-007						NAD	NA ·
	Charlie G Bar-Office		7					
08	8916-12-008		0.587	37.65	40.20	22.15	Chrysotile 5.	NA
	Charlie G's Dining Rm.							

Reviewed by:	
DIM analysts John Compili	reights of less than 0.1 grams. NAD = no asbestos detected; NA = not analyzed; Trace =
PLM analyst: John Curulli; TEM analyst: Louis Lomb	adi
<1%; NAPS = not analyzed positive stop; Bulk Asbestos Analysis - PLM per 40 CFR 763, Sub	ot F, Appd A; - TEM by Chatfield and ELAP Analysis Protocol PLM-198.1/TEM-198.4 for
New York samples; Note: TEM resolves all/aspestos fibers whereas PLM typically will not res	



### Jack Eisenbach Engineering, P.C.

291 Genesee Street, Utica, New York 13501 315-735-1916 Fax 315-735-6365

PROJECT: Charlestour-Building #12

PROJECT #: 89/6


				<u> </u>
SAMPLE	НОМО	RESULTS		SAMPLE
NUMBER	ID#	(+/-)	MATERIAL SAMPLED	LOCATION
8916-12-001			INTERIOR WINDOW MATERIAL	CHAPLIE G BAR
007			" CAULK	
007			AIRCELL INSULATION	- " - OFFICE
004	-		JOINT COMPOUND	- " - KITCHEN
005			SHEETROCK	
006			JOINT CEMPOUND	-1, - OFFICE
607			SHEETROCK	- 1, - 1)
008			EXTERIOR WINDOW CAULK	CHARLIE G'S DINING RM
009			" GCAFING	
010			PACKING MATERIAL IN LIGHTS	BAR
011			INTERINE WINDOW GLAZING	4th FLOOR
012			" CAULK	4th FLOOR
0.13			FITTING INSULATION	Middle Rn-4th Floor
OIY			SHEETROCK	4th FLOOR
015			2×4 CEILING TICE	4th FLOOR
0/6			EXT. DOOR CAULK	1st ficoe
017			EXT. WINDOW CAULK	1,
018			" CLAZING	11
				·
<u> </u>				
	•			


Accreditation No:

Collected By: TONY SCIALDONE
ion No: AH92-13654

Sold Shifts 9:400

98085499







LEGEND XX SAMPLE NUMBER



1 ALL SAMPLE NUMBERS ARE PRECEDED BY 8916-4-




SAMPLE LOCATIONS CHARLES TOWN BUILDING 4 5-14-95




LEGEND
XXX SAMPLE NUMBER

NOTE:

1 ALL SAMPLE NUMBERS ARE PRECEDED BY 8916-11-



IACK EISENBACH ENGINEERING, P.C. 291 Genesee Street, Uboo, IN 13501 315-735-1916 168 Carlton Street, Buffolo, IN 14263 716-882-3903
---



SAMPLE LOCATIONS


KEY PLAN

OPEN AREA


FOURTH FLOOR - 7



THIRD FLOOR - 7





SECOND FLOOR - 7



FIRST FLOOR - 7


NOTE: - BUILDING 7 1 ALL SAMPLE NUMBERS ARE PRECEDED BY 8916-7-






BLDG. - 16


NOTE: - BUILDING 16 1 ALL SAMPLE NUMBERS ARE PRECEDED BY 8916-16-



LEGEND

XX SAMPLE NUMBER







NOTE; 1 ALL SAMPLE NUMBERS ARE PRECEDED


BY 8916-5-


LEGEND XX SAMPLE NUMBER




SAMPLE LOCATIONS CHARLES TOWN BUILDING 5












NOTE: 
1 ALL SAMPLE NUMBERS ARE PRECEDED
BY 8916-10-

LEGEND XX SAMPLE NUMBER







## FOURTH FLOOR



## THIRD FLOOR




## SECOND FLOOR




### NOTE: -


1 ALL SAMPLE NUMBERS ARE PRECEDED BY 8916-12-

LEGEND XX SAMPLE NUMBER






## TRANSFORMER BUILDING 4





## TRANSFORMER BUILDING 3




NOTE: -1 ALL SAMPLE NUMBERS ARE PRECEDED BY 8916-

LEGEND XX-XX SAMPLE NUMBER







## MUST BE CARRIED ON ASBESTOS PROJECTS



ADDRESS CORRESPONDENCE TO: (Include certificate number) NYS Department of Labor DOSH - License and Certificate Unit PO Box 687, New York, NY 10014-0687

CERTIFICATE NUMBER AH 92-13654

**EXPIRES** 

SOCIAL SECURITY NUMBER 126-70-8482

**EYES** HAIR BLU BRO WEIGHT HEIGHT 175 fbs. 5 ft. 11 in.

0103680



STATE OF NEW YORK
DEPARTMENT OF LABOR
DIVISION OF SAFETY AND HEALTH

ASBESTOS HANDLING CERTIFICATE AUTHORIZED CLASSES D - INSPECTOR (11/98) H - PROJECT MONITOR (11/98)

TANTHONY J SCIALDONE 7 SYCAMORE DRIVE EAST NEW HARTFORD, NY

13413

RICHARD CUCOLO, Director - For the Commissioner of Labor DOSH-442 (01/91)

BARBARA A. DEBUCNO, M.D., M.P.H. Commissioner



Expires 12:01 AM April 1, 1999 ISSUED April 1, 1998 REVISED June 25, 1998

#### CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

Lab ID No.: 11480

Director: DR. ROBERT TOMPKINS

Lab Name: SCIENTIFIC LABORATORIES INC-NEW YORK CITY

Address : 117 EAST 30TH ST NEW YORK NY 10016

is hereby APPRCVED as an Environmental Laboratory for the category

ENVIRONMENTAL ANALYSES/SOLID AND HAZARDOUS WASTE

All approved subcategories and/or analytes are listed below:

: Haneous :

ásbestos in Eriáble Naterial Esbestos in Non-Eriáble Materia

Serial No.: 102787

Wadsworth Center

Property of the New York State Department of Health. Valid only at the address shown. Must be conspicuously posted. Valid certificate has a red serial number.

#### **ACTION MEMORANDUM RV1**

DATE:

AUG 0 8 2011

SUBJECT: Request for a Ceiling Increase, 12-Month Exemption, and \$2 Million

Exemption for the Removal Action at the Charlestown Mall Site, Village

of Frankfort, Herkimer County, New York

FROM: Terry E. Kish, On-Scene Coordinator

Removal Action Branch

TO: Judith A. Enck

Regional Administrator

THRU: Walter E. Mugdan, Director

**Emergency and Remedial Response Division** 

Site ID#: A239

#### I. PURPOSE

The purpose of this Action Memorandum is to request and document approval of the Ceiling Increase, 12-Month Exemption and \$2 Million Exemption at the Charlestown Mall Site (Site), Village of Frankfort, Herkimer County, New York. This is the first U.S. Environmental Protection Agency (EPA) removal action undertaken at the Site. The objective of this removal action is to mitigate the threat of direct contact posed to the public by asbestos contaminated demolition debris present at the Site. This will be accomplished by completing the removal and off-site disposal of the asbestos contaminated debris. The total funding increase requested in this Action Memorandum is \$2,192,000, of which, \$1,903,000 is from the Regional removal advice of allowance for mitigation contracting. If approved, the new total project ceiling will be increased to \$4,061,000, of which, \$3,313,000 is for mitigation contracting. Conditions at the Site meet the criteria for a removal action under the Comprehensive Environmental Resource, Compensation and Liability Act (CERCLA) and Section 300.415(b) of the National Contingency Plan (NCP).

CONCUR	RENCES	Name: Charlesto	own Mall Da	ate: 6/23/2010	Filename	e: AM#:0366		+ =
Symbol	ERRD- RAB	ERRD-RAB	ERRD-RAB	ORC- NYCSFB	ORC	ERRD-DD	ERRD-D	DRA
Surname	Kiety	Harlay	Rallin	Quzman (	Down	LaPadyla	Migdan	Paylou
Date	7/7/11	7/7/11	7/3/1	2/2/11	1/2/	1/6	18/411	Wals
•			1,1,	11-1	Daniel Dun		O 111	

8/8/

## Office of Emergency Management Routing Slip - July 13, 2011

<b>TO</b> : (	TO: (Name, office symbol, room number, building, agency/post)			Date
1.	Tim Grier		T6	7/3/
2.	Harriet McCollum		AMC	7/13/11
3.	Tito Irizarry	8	3 Jun	7/13/11
4.	Dana Tulis		20	7/18/11
5.			W	,-,-,-
6.				
7.				
8.				
Desc	Request for Signature			

#### REMARKS

Region 2 has requested concurrence on an Action Memorandum for a removal action where asbestos is the principal contaminant of concern. This is considered precedent-setting and, therefore, requires the concurrence of the OEM Director (non-concurrence is delegated to the OSWER AA). An earlier draft of the Action Memorandum was reviewed by OGC and approved. A yellow cover page with Earl Salo's mark is included in this package. This type of review does not require enforcement review. Don't hesitate to contact me if you have any questions.

From: (Name, org, symbol) Agency/Post)	Room	
	No. Bldg	B517K
Tim Grier	Phone	202-564-2361





#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Request for Concurrence on Proposed Nationally Significant or Precedent Setting

Date:

Subject:

From:

Thru:

To:

June 20, 2011

Judith A. Enck

Regional Administrator

Dana S. Tulis, Acting Director

Walter E. Mugdan, Director Emergency and Remedial Response Division

Removal

		Office of	f Emergency M	lanagement				
	at the Cha	ose of this mem arlestown Mall a of Authority F -setting at non-	non-NPL Site, R-14-I-A gives	Village of Fran	kfort, Herkime	r County, in Ne	w York. Re-	
	Headquar Response precedent policy, the	cene Coordinat ters Program O Division has ac -setting because e Office of Eme as a nationally s	perations and C dvised the OSC e asbestos is the ergency Manag	Coordination D that this remo e primary conta ement is to cor	ivision. The Enval is considere aminant of concour on this Act	nergency and R d nationally sig ern, and pursua ion Memorandu	lemedial mificant or int to EPA	
	The Actio	n Memorandur	n is attached fo	or your review.	My approval a	waits your cond	currence.	
	According	Emergency Mag g to the re-deleg If you choose	gation authority		Date:			
	Non-Con	cur:						
		anislaus, Assista Solid Waste an			Date:			
				CONCURRENC	ES			
JRNAME .G	EM-POCP	DEMACED Lee						
ATE -	1/12/11	7/03/11						
PA Form 1320	D-1A (1/90)		P	rinted on Recycled	l Paper		OFFICI	AL FILE COPY
						⇒ U.S. Go	vernment Printing Office:	: 2005 206-899 (mac)